



**BHAGYANAGAR GAS LIMITED**  
(A JOINT VENTURE OF HPCL & GAIL)

**BID DOCUMENT FOR**

**Tender for Site Development at Peddapuram and Shifting  
of Pipes from Madhavapatnam to Peddapuram**

**UNDER LIMITED DOMESTIC  
COMPETITIVE BIDDING**

**Bid Document No.: BGL/391/2017-18**

**VOLUME-II of II**

**CONTENTS**

**VOLUMEN II OF II**

<b>SECTION 7</b>	<b>-</b>	<b>SPECIAL CONDITIONS OF CONTRACT (SCC)</b>
<b>SECTION 8</b>	<b>-</b>	<b>SCOPE OF WORK</b>
<b>SECTION 9</b>	<b>-</b>	<b>SCHEDULE OF RATES (SOR)</b>



Bhagyanagar Gas Ltd.  
BHAGYANAGAR  
GAS LIMITED

**Tender for Site Development at Peddapuram and Shifting of  
Pipes from Madhavapatnam to Peddapuram**

**Bid Document No. BGL/391/2017-18**

VOLUME  
II OF II

**SECTION – 7**

**SPECIAL CONDITIONS OF CONTRACT**

**INDEX**

- 1.0 **GENERAL**
- 2.0 **THE WORK**
  - 2.1 Scope of Work
  - 2.2 Scope of Supply
  - 2.3 Time schedule
  - 2.4 Measurement of works
  - 2.5 Terms of payment
  - 2.6 Temporary Works
  - 2.7 Temporary Fencing
  - 2.8 Contractor's Temporary Structure
  - 2.9 Statutory approvals
  - 2.10 Quality assurance
  - 2.11 Notice and licenses
  - 2.12 Working hours
  - 2.13 Responsibility of contractor
  - 2.14 Electrical works
  - 2.15 Additional work/extra works
- 3.0 **CONSTRUCTION**
  - 3.1 Rules and regulations
  - 3.2 Procedures
  - 3.3 Security
  - 3.4 Drawings and document
  - 3.5 Excavation by blasting
  - 3.6 Construction equipment & mechanization of construction activities
  - 3.7 Site organization
  - 3.8 Health Safety And Environment (HSE) Management
  - 3.9 General guidelines during and before erection
  - 3.10 Construction photographs
  - 3.11 Schedule of labour rates
  - 3.12 Specific requirement
- 4.0 **TESTS, INSPECTION AND COMPLETION**
  - 4.1 Tests and inspection
  - 4.2 Final inspection
  - 4.3 Documentation
  - 4.4 Statement of final bills issue of no demand certificates

- 4.5 Issue and reconciliation of material
- 5.0 Registration of the contract with statutory authorities (for foreign bidder)
- 6.0 limitation of liability
- 7.0 Critical works to be carried out by consortium leader
- 8.0 Contract performance guarantee
- 9.0 Taxes, duties and levies in India
- 10.0 Taxes, duties and levies in foreign countries
- 11.0 Subsequent legislation
- 12.0 Statutory variation in taxes & duties
- 13.0 Income tax & corporate tax
- 14.0 Custom duty
- 15.0 Custom duty on construction equipments
- 16.0 Issue of essentiality certificate
- 17.0 Import licence
- 18.0 Withholding, accounting and tax requirements
- 19.0 Intellectual property
- 20.0 Firm price
- 21.0 Works contract
- 22.0 Provident fund act
- 23.0 Mobilization advance
- 24.0 Change orders/ extra works/ deviations
- 25.0 Terms of payment
- 26.0 Compensation for extended stay
- 27.0 Coordination with other agencies
- 28.0 Settlement of dispute between two psu's
- 29.0 Royalty
- 30.0 Site facilities for workmen
- 31.0 Arbitration
- 32.0 Compensation for delay/price reduction schedule for any delay.
- 33.0 Project planning, scheduling and monitoring system
- 34.0 Checking of levels
- 35.0 Storage facilities
- 36.0 Abnormally high rated items (AHR Items)
- 37.0 Bank guarantees
- 38.0 Cenvat benefits
- 39.0 Computerized bills
- 40.0 Order placement of bought out items
- 41.0 POWER,WATER AND OTHER UTILITIES.

1.0 **GENERAL**

- 1.1 Special conditions of contract (SCC) shall be read in conjunction with the General Conditions of Contract (GCC). Schedule of rates, specifications of work, drawings and any other document forming part of this contract wherever the context so requires.
- 1.2 Notwithstanding the sub-division of the document into these separate sections and volumes, every part of each with and into the contract so far as it may be practicable to do so.
- 1.3 Where any portion of the GCC is repugnant to or at variance with any provisions of the special conditions of contract, then unless a different intention appears, the provision(s) of the special conditions of contract shall be deemed to override the provision(s) of GCC only to the extent that such repugnancies or variations in the special conditions of contract are not possible of being reconciled with the provisions of GCC.
- 1.4 Wherever it is stated in this Bidding Document that such and such a supply is to be effected or such and such a work is to be carried out, it shall be understood that the same shall be effected/carried out by the contractor at his own cost, unless a different intention is specifically and expressly stated herein or otherwise explicit from the context. Contract value (also referred to as Contract price) shall be deemed to have included such cost.
- 1.5 The materials, design and workmanship shall satisfy the applicable relevant Indian Standards, the job specifications stipulate requirements in addition to those contained in the standard codes and specifications, these additional requirements shall also be satisfied. In the absence of any Standard/ Specifications/codes of practice for detailed specifications covering any part of the work covered in this Bidding on the contractor.
- 1.6 In partial modification to Clause No.21.0 of GCC the following shall apply:
- In case of contradiction between Indian or other applicable Standards, General Conditions of Contract, Special Conditions of Contract, Specifications, drawings, Schedule of Rates, the following shall prevail in order of precedence:
- i) Letter of acceptance alongwith statement of Agreed variations.
  - ii) Fax / Letter of Intent / Fax of Acceptance
  - iii) Schedule of Rates as enclosures to letter of acceptance
  - iv) Job / Particular Specifications
  - v) Drawings
  - vi) Technical / Material Specifications
  - vii) Special Conditions of Contract.
  - viii) General Conditions of Contract
  - ix) Indian Standards
  - x) Other Applicable Standards

It will be contractor's responsibility to bring to the notice of Engineer-in-charge any irreconcilable conflict in the contract documents before starting the work(s) of making the supply with reference which the conflict exists.

In the absence of any specifications covering any material, design of work(s) in the same shall be performed / supplies / executed in accordance with Standards Engineering Practice as per the instructions / directions of the Engineer-in-charge, which will be binding on the Contractor.

1.7 The requirements of any statutory body and authority like Indian boiler regulation, Tariff Advisory Committee, Chief controller of Explosives, etc, shall govern where these are more stringent than the requirements specified above.

1.8 Owner's representative means authorized representative of Owner (i.e. M/s BGL) and / or Consultant.

## 2.0 **THE WORK**

### 2.1 **Scope of work**

The scope of work covered in this Contract will be as described in **Annexure-1** to SCC and Particular job specifications, Standard Specifications, Schedule of Rates etc.

### 2.2 **Scope of Supply**

The scope of supply covered in this Contract will be as described in **Annexure-2** to SCC, Particular Job Specifications, Standard Specifications, Schedule of Rates etc.

### 2.3 **Time schedule**

2.3.1 The work shall be executed strictly as per time schedule given in **Annexure-3** to SCC. The period of completion given includes the time required for mobilization as well as testing, rectifications, if any, retesting, demobilization and completion in all respects to the satisfaction of the Engineer-in-Charge.

2.3.2 A joint program of execution of work will be prepared by the Engineer-in-Charge and Contractor. This program will take into account the time of completion mentioned in 2.3.1 above.

2.3.3 The contractor shall scrupulously adhere to the Targets/Programs by deploying adequate personnel, Construction Equipment, Tools and Tackles and also by timely supply of required materials coming within his scope of supply as per Contract. In all matters concerning the extent of target set out in the weekly/monthly program and the degree of achievement, the decision of the Engineer-in-Charge will be final and binding on the Contractor.

2.3.4 Contractor shall give every day category-wise labour and equipment deployment report alongwith the progress of work done on previous day in the proforma prescribed by the Engineer-in-Charge.

#### 2.4 **Measurement of Works**

In addition to the provisions of Clause 88.1 of the General Conditions of Contract and associated provisions thereof, the provisions of **Annexure - 4** to SCC shall apply.

#### 2.5 **Terms of Payment**

Terms of Payment will be as specified in **Annexure - 5** to SCC.

#### 2.6 **Temporary Works**

All temporary works, ancillary works, enabling works, including dewatering of surface and subsoil water, temporary drains at the work site, preparing approaches to working areas, wherever required, for execution of the work, shall be the responsibility of Contractor.

#### 2.9 **Statutory Approvals**

2.9.1 All associated activities required for obtaining necessary clearances, permissions, approvals, all licenses from all concerned authorities in respect of pipeline crossing & all related works shall be the responsibility of the Contractor and the cost of the same shall be deemed to have been included in the quoted prices.

The approval from any authority required as per statutory rules and regulations of Central/State Government shall be the Contractor's responsibility unless otherwise specified in the Bidding Document. The application on behalf of the Owner for submission to relevant authorities along with copies of required certificate complete in all respects shall be prepared and submitted by the Contractor well ahead of time so that the actual construction of the work is not delayed for want of the approval/inspection by concerned authorities. The inspection of the works by the authorities shall be arranged by the Contractor and necessary coordination and liaison work in this respect shall be the responsibility of the Contractor. However statutory fees paid, if any, for all inspections and approvals by such authorities shall be reimbursed at actual by the Owner to the Contractor on production of documentary evidence. The contractor is responsible for obtaining the permission/ work/traffic permits to meet the agreed monthly targets.

Any change/addition required to be made to meet the requirements of the statutory authorities shall be carried out by the Contractor free of charge. The inspection and acceptance of the work by statutory authorities shall however, not absolve the Contractor from any of his responsibilities under this Contract.



## 2.10 **Quality Assurance**

2.10.1 Detailed quality assurance program to be followed for the execution of Contract under various divisions of works will be mutually discussed and agreed.

2.10.2 The Contractor shall establish document and maintain an effective quality assurance system as outlined in recognized codes.

2.10.3 Quality Assurance System plans/procedures of the Contractor shall be furnished in the in the form of QA manual. This document should cover details of the personnel responsible for the quality assurance, plans or procedures to be followed for quality control in respect of Design, Engineering, Procurement, Supply, Installation, Testing and Commissioning. The quality assurance system should indicate organizational approach for quality control and quality assurance of the construction activities, at all stages of work at site as well as at manufacturer's works and dispatch of materials.

The Owner/Consultant or their representative shall reserve the right to inspect/witness, review any or all stages of work at shop/site as deemed necessary for quality assurance.

2.10.4 The Contractor has to ensure the deployment of quality Assurance and Quality Control Engineer(s) depending upon the quantum of work.

## 2.11 **Notice and Licenses**

The Contractor shall at his costs and expenses give to the Municipal or Panchayat, NHAI, R&B, Police, traffic police and other authorities all notices etc., that may be required in law to be given and obtain all necessary permissions and licenses etc., for temporary obstructions, enclosures and pay all fees, taxes charges etc. which may be levible by such authorities for that purpose. The Contractor shall make good any damage to the adjoining property whether public or private.

## 2.12 **Working Hours**

Depending upon the requirements, time schedule/ drawn up programs and the target set to complete the job in time the works may have to continue beyond normal working hours to the extent of round the clock and on holidays also for which no extra claim shall be entertained.

## 2.13 **Responsibility of Contractor**

Preparing approaches and working area for the movement and operation or the cranes, leveling the area for assembly and erection shall also be the responsibility of the Contractor. The Contractor shall acquaint himself with access availability, facilities such as railway siding, local labour etc.

The procurement and supply in sequence and at the appropriate time of all materials and consumables covered under Contractor's scope of supply shall be entirely the Contractor's responsibility. Contractor shall not use any of the equipment or materials issued to him by Owner for temporary works, manufacturing erection aids etc. Misuse of materials will be seriously viewed and deduction at penal rates will be made from the Contractors bill for such quantities that are misused.

Contract Price is deemed to be inclusive of all expenses towards above responsibilities.

#### 2.14 **Additional Works/Extra Works**

Owner reserve their right to execute any additional works/ extra works, during the execution of Work, either by themselves or by appointing any other agency, even though such works are incidental to and necessary for the completion of works awarded to the Contractor. In the event of such decisions taken by Owner, Contractor is required to extend necessary cooperation and act as per the instructions of Engineer-in-Charge

### 3.0 **Construction**

OWNER reserves the right to inspect all phases of Contractor's operations to ensure conformity to the SPECIFICATIONS. Owner will have Engineers, Inspectors or other duly authorized representatives, made known to the Contractor present during progress of the WORK and such representatives shall have free access to the WORK at all times. The presence or absence of an Owner's representative does not relieve the Contractor of the responsibility for quality control in all phases of the WORK. In the event that any of the WORK being done by the Contractor or any Sub-Contractor is found by Owner's representatives to be unsatisfactory or not in accordance with the DRAWINGS, procedures and SPECIFICATIONS, the Contractor shall, upon verbal notice of such, revise the work in a manner to conform to the relevant DRAWINGS, procedures and SPECIFICATIONS.

#### 3.1 **Rules and Regulations**

Contractor shall observe in addition to Codes specified in respective specification, all national and local laws, ordinances, rules and regulations and requirements pertaining to the work and shall be responsible for extra costs arising from violations of the same.

#### 3.2 **Procedures**

Various procedures and method statements to be adopted by Contractor during the construction as required in the respective specifications shall be submitted to Engineer-in-Charge in due time for approval. No construction activity shall commence unless approved by Engineer-in-Charge in writing.

#### 3.3 **Security**

The work being in protected area, entry into the work area shall be restricted and governed by issue of photo gate passes by the Security/CISF. The Contractor shall arrange to obtain through the Engineer-in-Charge, well in advance, all necessary entry permits/gate pass for

his staff and labour and entry and exit of his men and materials shall be subject to vigorous check by the security staff. The Contractor shall not be eligible for any claim or extension of time whatsoever on this account.

3.4 **Drawings and Documents** :Particular Job specifications/Technical specifications shall be submitted at the time of execution of work.

3.5 Excavation by blasting is not permitted wherever required in hard strata other mechanical tools shall be used.

3.6 **Construction Equipment & Mechanization of Construction Activities**

Contractor shall, without prejudice to his overall responsibility to execute and complete the Work as per specifications and time schedule, adopt as far as practicable, mechanized construction techniques for major site activities.

However, Contractor agrees that he will deploy the required numbers and types of the part & machinery applicable for different activities in consultation with the Engineer-In-Charge during execution of works.

The Contractor shall mechanize the construction activities to the maximum extent by deploying all necessary construction equipment/machinery in adequate numbers and capacities.

Wherever Structural/Piping works are included in the scope, the Contractor's responsibilities shall include establishing and maintaining of a proper fabrication workshop with transportation facilities to site to carryout fabrication of steel structures, piping specials etc., preparing approaches working areas for the movement/operation of cranes and leveling the areas for assembly/erection to ensure effective mechanization on the works. The Contractor shall acquaint himself with availability of access, facilities such as railway siding, local labour etc. and the Contractor may have to build temporary access roads to aid his work and the quoted and agreed rates shall be deemed to include the same. It may be noted that all fabrication work shall be carried out in fully mechanized workshops to reduce site fabrication to minimum.

For speedy execution of work, Contractor shall also ensure use of computer software for at least the following:

- (i) Billing
- (ii) Planning & Scheduling
- (iii) Progress Reporting
- (iv) Material Control & Warehousing
- (v) Safety Records
- (vi) Resource Deployment
- (vii) Communication

Contractor further agrees that Contract price is inclusive of all the associated costs) which he may incur for actual mobilization, required in respect of use of mechanized construction techniques and that the Owner/Consultant in this regard shall entertain no claim whatsoever.

### 3.7 **Site Organization**

The Contractor shall provide all necessary superintendence during the design and execution of the Works and as long thereafter as the Engineer-in-Charge may consider necessary for the proper fulfilling of the Contractor's obligations under the Contract. Such superintendence shall be given by sufficient persons having adequate knowledge of the operations to be carried out including the methods and techniques required the hazards likely to be encountered and methods of preventing accident for the satisfactory and safe execution of the Work. The workmen deployed, by the Contractor should also possess the necessary license etc., if required under any law, rules and regulations.

Subject to the provisions in the Contract Document and without prejudice to Contractor's liabilities and responsibilities to provide adequate qualified and skilled personnel on the Work, Contractor shall augment the same as decided by the Engineer-in-Charge depending on the exigencies of Work.

#### 3.7.1 **Supervision**

All construction work will be carried out as per direction of EIC, and this will be the primary point of contact between the Contractor and BGL on site. All work will be issued and sanctioned through the EIC and site control exercised by site engineers. The Contractor shall ensure that technical quality standards are maintained, that construction is carried out cost effectively and that a good customer and public image is maintained for BGL.

The Contractor will appoint his own supervisors of minimum number instructed by EIC. These personnel will be responsible to the SE for monitoring construction standards and for ensuring that all detailed technical requirements are met on each and every job which is undertaken. The Contractor's supervisor(s) will have day to day liaison with the SE, and will provide the SE with technical reports and audits, and other management information as is required on work progress and construction quality standards.

The Contractor's supervisor shall have mobile telephones or pagers to ensure that they can be contacted at all times. The Contractor will also nominate one person who can be contacted if necessary out of hours, for the duration of the works. The Contractor's supervisor will have access to transport at all times to allow them to visit sites and attend meetings with BGL as is required, the normal day to day issue of work instructions, communication between BGL and the Contractor's supervisor and the SE. No deviation from the approved technical specification / issued construction drawings shall be undertaken without written approval of EIC.

### 3.8 Health Safety and Environment (HSE) Management

After the award of the contract, detailed Health, Safety and Environment (HSE) program to be followed for execution of contract under various divisions of works will be mutually discussed and agreed between Contractor, Client & PMC.

The Contractor shall establish document and maintain an effective Health, Safety and Environment (HSE) management system.

In case contractor fails to follow the instructions of Engineer-in-charge with respect to above clauses, next payment due to him shall not be released unless until he complies with the instructions to the full satisfaction of Engineer-in-charge.

The Contractor shall adhere to the Health, Safety and Environment (HSE) management system as per BGL Specification and General Conditions of Contract.

It will be the Contractor's responsibility to acquaint his site staff and operatives of all current safety legislation, statutory requirements and BGL's safety standards. In addition, and before any work takes place all the Contractor's operatives shall be given training in site safety by the trained person under supervision of BGL. If the Contractor wishes to start any new operators on site, he must first inform the SE, who will arrange for such training to be arranged.

### 3.9 General Guidelines During and Before Erection

3.9.1 The Contractor shall be responsible for organizing the lifting of the structural element, equipment in the proper sequence, that orderly progress of the work is ensured and access routes for erecting the other structures/ equipments are kept open.

3.9.2 During the performance of the work the Contractor at his own cost, shall keep structures, materials and equipment adequately braced by guys, struts or otherwise approved means which shall be Supplied and installed by the Contractor as required till the installation work is satisfactorily completed.

Such guys, shoring, bracing, strutting, planking supports etc. shall not interfere with the work of other agencies and shall not damage or cause distortion to other works executed by him or other agencies.

3.9.3 Manufacturer's recommendations and detailed specifications for the installation of the various equipment and machines shall be fulfilled by the Contractor.

3.9.4 Various tolerances required as marked on the drawings and as per specifications and instructions of the Engineer-in-Charge, shall be maintained.

Verticality shall be maintained. Verticality shall be verified with the Theodolite/advanced instruments,

**3.10 Construction Photographs**

Not applicable

**3.11 Schedule of Labour**

Schedule of Labour Rates attached as **Annexure-VIII** to SCC shall be used for analyzing rates for extra items.

Schedule of equipment rates attached as **Annexure-IX** to SCC shall be used for analyzing rates for extra items.

**3.11A Construction Equipment**

It is Contractor responsibility to mobilize construction equipment in good condition to complete the work in the schedule time period.

**3.12 Specific Requirements**

The contractor to take up the works at height for rectification of Canopy. The contractor to ensure proper PPE to work men working at height. In case of non-compliance of this, the work shall be stopped.

In addition, the specific requirements spelt out in various technical parts of the Bidding Document shall be followed by Contractor.

**3.13 Site Cleaning**

3.13.1 The BIDDER shall take care for cleaning the working site from time to time for easy access to work site and also from safety point of view.

3.13.2 Working site should be always kept cleaned up to the entire satisfactions of the Engineer-in-charge.

Before handing over and work to owner, the BIDDER in addition to other formalities to be observed as detailed in the document shall clear the site to the entire satisfaction of Engineer-in-charge.

**3.14 SURVEY OF WORK**

Before the WORK or any part thereof are begun, the Contractor's agent and the Engineer-in-Charge's representative shall together survey the SITE and decide the tentative route considering all obstructions on which the pipeline is to be laid and on which measurements of the WORK are to be based. Such particulars shall be plotted by the

BIDDER and trial pits started thereon.

The Contractor shall be entirely responsible for the correctness of every part of the WORK and shall rectify any errors or imperfections therein. Such rectifications shall be



BHAGYANAGAR  
GAS LIMITED

**Tender for Site Development at Peddapuram and Shifting of  
Pipes from Madhavapatnam to Peddapuram**

**Bid Document No. BGL/391/2017-18**

VOLUME  
II OF II

carried out by the Contractor at his own cost, when instructions are issued to this effect by the Engineer-in-Charge or his representative.

WORK shall be suspended for such times as necessary for checking lines and levels on any part of the WORK.

The Contractor shall at his own expense provide all assistance, which the Engineer-in-Charge may require for checking the setting out to WORKS.

Before commencement of any activity, Contractor's quality control set up duly approved by company must be available at site

#### **4.0 TESTS, INSPECTION AND COMPLETION**

##### **4.1 Tests and Inspection**

The Contractor shall carry out the various tests as enumerated in the technical specifications of this Bidding Document and technical documents that will be furnished to him during the performance of the work at no extra cost to the Owner.

All the tests either on the field or at outside laboratories concerning the execution of the work and supply of materials by the Contractor shall be carried out by Contractor at his own cost.

The work is subject to inspection at all times by the Engineer-in-Charge. The Contractor shall follow all instructions given during inspection and shall ensure that the work is being carried out according to the technical specifications of this Bidding Document, the technical documents that will be furnished to him during performance of work and the relevant codes of practice.

The Contractor shall provide for purposes of inspection access ladders, lighting equipment for testing, necessary instruments etc. at his own cost, low voltage lighting equipment for tray fixing and inspection work.

Compressed air for carrying out flushing & testing works shall be arranged by the Contractor at his own cost.

For material supplied by Owner, Contractor shall carryout the tests, if required by the Engineer-in-Charge, and the cost of such tests shall be reimbursed by the Owner at actual to the Contractor on production of documentary evidence.

For materials supplied by Owner, contractor shall carryout the tests, if required by the Engineer-in-charge, and the cost of such tests shall be reimbursed by the Owner at actual to the Contractor on production of documentary evidence.

Contractor shall inspect carefully all equipment before receiving them from Owner for





installation purposes. Any damage or defect noticed shall be brought to the notice of Engineer-in- Charge immediately.

All results of inspection and tests will be recorded in the inspection reports, proforma of which will be approved by the Engineer-in-Charge. These reports shall form part of the completion documents. Any work not conforming to execution drawings, specifications or codes shall be rejected and the Contractor shall carryout the rectifications at his own cost.

Inspection and acceptance of the work shall not relieve the Contractor from any of his responsibilities under this Contract.

#### 4.2 **Final Inspection**

After completion of all tests as per specification the whole work will be subject to a final inspection to ensure that job has been completed as per requirement. If any defect is noticed, the Contractor will be notified by the Engineer-in-Charge and he shall make good the defects at his own cost and risk with utmost speed. If, however, the Contractor fails to attend to these defects within a reasonable time (time period shall be fixed by the Engineer-in-Charge) then Engineer-in-Charge may have defects rectified at Contractor's cost.

When these works are carried out at the risk and cost of the Contractor, the Engineer-in-charge would recover the actual cost incurred towards labour, supervisions and material, consumables or otherwise, plus 100% towards overheads from any pending bill of the Contractor or the security deposit.

#### 4.3 **Documentation**

##### 4.3.1 **Completion Document**

The following documents shall be submitted in hard binder by the BIDDER in THREE sets, as a part of completion documents: -

- a) Copies of the Inspection reports
- b) Consumption statements of materials certified by Owner's Site Engineer.
- c) Material Reconciliation, stores issue & return statements
- d) All other requirements as specified in the respective specifications.
- e) Completion Certificate issued by Owner's Site Engineer.
- f) No claim certificate by the BIDDER.





- g) Completion certificate for embedded and covered up works wherever applicable.
- h) Recovery statement, if any.
- i) Deviation statement.
- k) Statement for reconciliation of all the payments and recoveries made in the progress bills.
- l) Copies of deviation statement and order of extension of time, if granted.
- m) Any other contractual documents required on completion.

**4.4 Statement of Final Bills-Issue of No Demand Certificate**

The final bill of Contractor shall be accompanied by no claim and no-demand certificate.

**4.5 Issue and Reconciliation of Material**

Every month, the contractor shall submit an account for all materials issued by Owner in the Performa prescribed by the Engineer-in-charge. On completion of the work, the contractor shall submit "Material Appropriation Statement" for all materials issued by the owner in the Performa prescribed by the Engineer-in charge.

All unused scrap materials shall be the property of the Owner and shall be returned by the Contractor category-wise at his cost to the Owner's designated store. In case the contractor fails to do so/or exceeds the limits of allowances specified above for scrap/serviceable materials .then the recovery for such quantities not returned by the Contractor will be done at the penal rate i.e,125% of landed cost at the time of final bill/closing of contract by Engineer-in-charge. The recovery shall be affected from the contractor's bill(s) or from any other dues of the Contractor to the Owner. Contractor shall be responsible for the adjustment /weightment/measurement of the surplus materials to be returned to the store. Contractor shall also be responsible for suitable segregation of returned materials in to separate stakes of serviceable and scrap materials.

In addition to above, other requirements are covered in Annexure-VI to SCC.

**5.0 REGISTRATION OF THE CONTRACT WITH STATUTORY AUTHORITIES (FOR FOREIGN BIDDER)**

- 5.1 Within 30 days of execution of the Contract agreement, the Contractor shall register themselves and the Contract at their own cost with the Reserve Bank of India, Income Tax, Sales Tax and such other statutory authorities, as may be required under the rules and regulations governing in India. The Contract Price shall be deemed to include all costs towards the same. A copy of all documents related to all such registration shall be submitted to Employer for record.



## **6.0 LIMITATION OF LIABILITY**

- 6.1 The final payment by the Employer in pursuance of the Contract terms shall not mean release of the Contractor from all of his liabilities under the Contract. The Contractor shall be liable and committed under this contract to fulfill all his liabilities and responsibilities, till the time of release of contract performance guarantee by the Employer.
- 6.2 Notwithstanding anything contrary contained herein, the aggregate total liability of Contractor under the Contract or otherwise shall be limited to 100% of Contract value. However, neither party shall be liable to the other party for any indirect and consequential damages, loss of profit or loss of production.

## **7.0 CRITICAL WORKS TO BE CARRIED OUT BY CONSORTIUM LEADER**

Not applicable

## **8.0 CONTRACT PERFORMANCE GUARANTEE**

The clause no. 24.0 of GCC shall stand modified to the following extent only.

- 8.1 As a Contract Security, the Contractor to whom the work is awarded, within 15 (Fifteen) days of such award of contract shall furnish a Contract Performance Guarantee in favour of the Employer in the form of an irrevocable and unconditional Bank Guarantee as per Performa approved by Employer. This Bank Guarantee shall be issued by any Indian Nationalized /Scheduled Bank or reputed International Bank as stipulated at Clause 37.0 below. The Guarantee amount shall be 10% (Ten Percent) of the Contract Price as awarded, for the faithful performance of the contract strictly in accordance with terms and conditions of contract. The Guarantee shall be valid till expiry of 90 (Ninety) days after the end of Defect Liability Period.
- 8.2 The Employer shall have an unqualified option under this guarantee to invoke the Banker's Guarantee and claim the amount there under in the event of the Contractor failing to honour any of the commitments entered into under this Contract and/or in respect of any amount due from the Contractor to the Employer/Consultant. In case Contractor fails to furnish the requisite Bank Guarantee as stipulated above, then the Employer shall have the option to terminate the Notification of Award of Work and forfeit the Bid Security/Earnest Money amount and no compensation for the works performed shall be payable upon such termination.
- 8.3 Upon completion of the Works as per Completion Schedule stipulated in the Contract, the above said guarantee shall be considered to constitute the Contractor's warranty/guarantee for the work done by him or for the Works supplied and their performance as per the specifications and any other conditions against this Contract. The warranty/guarantee shall remain in force for 12 months from the date of issuance of certificate of Completion and Acceptance against this Contract as per GCC. The



BHAGYANAGAR  
GAS LIMITED

**Tender for Site Development at Peddapuram and Shifting of  
Pipes from Madhavapatnam to Peddapuram**

**Bid Document No. BGL/391/2017-18**

VOLUME  
II OF II

Contractor shall also arrange for the Performance Guarantee to remain valid till expiry of 90 days after the end of Defect Liability Period /Guarantee period for entire works covered under the contract.

- 8.4 In the event of Completion of Project being delayed beyond the Scheduled Completion Date, the Employer may without prejudice to any other right or remedy available to the Employer, operate the Bank Guarantee to recover the Compensation for delay leviable as per Clause 32.0 below. The Bank Guarantee amount shall thereupon be increased to the original amount, or the Contractor may alternatively submit a fresh Bank Guarantee for the equivalent amount of compensation for delay recovered.

**9.0 TAXES, DUTIES AND LEVIES IN INDIA**

9.1 The Contractor agrees to and does hereby accept full and exclusive liability for the payment of any and all taxes, duties, including excise duty, service tax, custom duty, CVD, additional CVD, octroi etc. now in force and hereafter increased, imposed or modified from time to time in respect of works and materials and all contributions and taxes for unemployment compensation, insurance and old age pensions or annuities now or hereafter imposed by any Central or State Government authorities which are imposed with respect to or covered by the wages, salaries, or other compensations paid to the persons employed by the Contractor and the Contractor shall be responsible for the compliance with all obligations and restrictions imposed by the Labour Law or any other law affecting employer-employee relationship and the Contractor further agrees to comply, and to secure the compliance of all sub-contractors with all applicable Central, State, Municipal and local law and regulation, and requirement of any central, State or Local Government agency or authority. Contractor further agrees to defend, indemnify and hold Employer/Consultant harmless from any liability or penalty which may be imposed by the Central, State or Local authorities by reason of any violation by Contractor or Subcontractor of such laws, regulations or requirements and also from all claims, suits or proceedings that may be brought against the Employer/Consultant arising under, growing out of, or by reason of the work provided for by this Contract, by third parties, or by Central or State Government authority or any administrative sub-division thereof. The prices shall also be inclusive of Sales Tax /Works Contract Tax/ VAT/ Trade tax/ turnover tax as applicable.

9.2 Employer shall make from Contractors bills such tax deductions as are required as per rules and regulations in force from time to time.

9.3 If excise duty is applicable during site fabrication, the same must be assessed and deemed to be included by the bidder in the quoted prices. The bidder in this regard shall arrange all required formalities.



**9.4 Goods and Service Tax:**

The Quoted price/rates should be inclusive of GST and all taxes and duties. It may be noted that the responsibility of payment of GST lies with the service provider only. In case of GST is applicable for the tendered work; the contractor shall claim the GST percentage in the 1<sup>st</sup> Invoice itself. Contractor shall provide GST Tax Invoice having GSTIN of Service Provider and Service Recipient.

- a) Name and address and GST Registration No of service provider
- b) Name and address and GST No of service receiver,
- c) Description, Classification and value of GST for service provided,
- d) GST amount

Payments to Service provider for claiming GST amount will be made provided above formalities are fulfilled only. In case of any statutory variation in GST during the currency of the contract, the contractor shall submit a copy of Government notification to evidence the rate as applicable on the date of submission of bid and on the date of revision. Claim for payment of GST/statutory variation in GST, should be raised within two(2) months from the date of issue of Government Notification for payment of differential GST, otherwise claim in respect of above shall not be entertained for payment of arrears.

**10.0 TAXES, DUTIES AND LEVIES IN FOREIGN COUNTRIES - DELETED**

**11. SUBSEQUENT LEGISLATION**

11.1 All duties, taxes (including sales tax on works contract/ trade tax/ turnover tax/service tax as applicable), fees, charges, expenses, etc. (except where otherwise expressly provided in the Contract) as may be levied/ imposed in consequence of execution of the works or in relation thereto or in connection therewith as per the Acts, Laws, Rules, Regulations in force shall be to Contractor's account. However, any new taxes /duties imposed after the date of submission of last price bid & up to Contractual Completion date shall be to the BGL's account but such Taxes /duties imposed beyond Contractual Completion date shall be to the Contractor's account.

**12.0 STATUTORY VARIATION IN TAXES & DUTIES**

12.1 Clause 100.1 of GCC is modified to the following extent.

12.2 The statutory variation in Custom Duty, CVD, Excise duty, Sales Tax, VAT, GST etc within the Contractual completion period shall be to Employer's (BGL) account, against submission of the documentary evidence. However, any increase in the rate of Custom Duty, CVD, Excise duty, Sales Tax, VAT, Service Tax ,etc beyond the Contractual completion period shall be to contractor's account whereas any decrease in the rate of GST etc shall be passed on to the Employer.



BHAGYANAGAR  
GAS LIMITED

**Tender for Site Development at Peddapuram and Shifting of  
Pipes from Madhavapatnam to Peddapuram**

**Bid Document No. BGL/391/2017-18**

VOLUME  
II OF II

- 12.3 The base date for the purpose of applying statutory variation shall be the due date of submission of last price bid.
- 12.4 Regarding Service Tax and Excise Duty & VAT / WCT, Contractor shall submit Cenvatable/Vatable bills giving break-up of tax amount, so that Employer can avail the Cenvat / VAT benefit as per rule. The Cenvatable / Vatable Invoice to be raised on

Office In Charge  
Bhagyanagar Gas Limited  
Hyderabad.

**13.0 INCOME TAX & CORPORATE TAX**

- 13.1 Income Tax deductions shall be made from all payments made to the Contractor as per the rules and regulations in force in accordance with the Income Tax Act prevailing from time to time.
- 13.2 Corporate Tax liability, if any, shall be to the contractor's account.
- 13.3 Works Contract tax/ VAT as may be applicable shall be deducted as per the trade tax act.

**14.0 CUSTOM DUTY**

- 14.1 The Contract Price shall include the following duties i.e Custom Duties, CVD, additional CVD for all materials and consumables envisaged to be imported for incorporation in the permanent works. It shall be clearly understood by the Contractor that custom duty shall neither be paid nor reimbursed by Employer. Contractor shall be fully responsible for port clearance including stevedoring, handling, unloading, loading, storage, inland transportation and receipt of materials at site etc. and cost thereof shall be included in the contract price. The contractor shall also be fully responsible for any delays, penalties, demurrages, shortages and other charges and losses, if any, in this regard. However, the Employer shall pay statutory variation in custom duty (except Cenvatable component), if any, after the date of submission of last price bid & up to Contractual completion period but beyond the contractual completion period the statutory variation shall be to contractor's account.

The CIF value of materials envisaged to be imported for the purpose of permanent incorporation in the works shall be indicated separately in the Price Schedule. The custom duty and other import duties payable on the CIF value of materials imported for the purpose of permanent incorporation in the work shall be paid directly by the contractor and are included in the contract price. However, the Employer shall pay statutory variation in custom duty (except Cenvatable component), if any, after the date of submission of last price bid & up to Contractual completion period but beyond the contractual completion period the statutory variation shall be to contractor's account.

**15.0 CUSTOM DUTY ON CONSTRUCTION EQUIPMENTS**

Signature & Seal of Bidder



BHAGYANAGAR  
GAS LIMITED

**Tender for Site Development at Peddapuram and Shifting of  
Pipes from Madhavapatnam to Peddapuram**

**Bid Document No. BGL/391/2017-18**

VOLUME  
II OF II

- 15.1 Contractor is liable to pay custom duty on the equipments brought into India for executing the project. The Contractor shall be fully liable for observing all the formalities in this regard as well as to pay the custom duty chargeable on the equipments, including any deposit payable for such purposes. No adjustment in contracted rates shall be permissible for any change in duty drawback applicable in respect of equipment & machinery brought in India for the use of the project and for re-export of equipment and machinery, on completion of the project.
- 15.2 If the Custom Authorities require the Contractor to furnish a bond to secure payment of any custom duty in respect of any import and that such Bond shall be furnished by the Employer, the Employer may at the request of the Contractor furnish the said Bond against the Contractor furnishing a Bank Guarantee to the Employer, of the like amount in the form and from a Bank in India approved by the Employer.
- 15.3 If for any reason the Employer is required by the Customs Authorities during pendency of Contract to pay any customs duty due to the importation or retention by the Contractor of any imports, the Contractor shall forthwith on demand by the Employer pay the same to the Employer, with the right in the Employer/Consultant (without prejudice to any other mode of recovery or right of the Employer/Consultant) to deduct the same from the on account and other payments due and/or becoming due or payable to the Contractor from time to time. The payments under such a case shall be subject to submission of Bank Guarantee from a Bank approved by Employer, by the Contractor in favour of the Employer for an amount equivalent to amount of custom duty.
- 15.4 The obligations undertaken and/or any bond or facility provided by the Employer to the Contractor shall be based on the clear understanding that the said equipment shall be utilised by the Contractor only for the performance of the work covered under this contract and that the Employer/Consultant shall be discharged forthwith from all said obligations and shall be entitled forthwith to discontinue and recall any bond or other facility to the Contractor if the Contractor shall utilise or permit to be utilised the said equipment(s) or any of them for the performance of any work other than the work covered by the Contract in which event any amount due from Contractor in this connection shall also carry interest @22% (Twenty two percent) per annum from the date of relative payment by Employer up to the date of recovery in full.

**16.0 ISSUE OF CERTIFICATE- PERTAINING TO IMPORT**

BGL shall not provide any kind of certificate.

**17.0 IMPORT LICENCE**

- 17.1 Contractor shall arrange import of all materials required for permanent incorporation in the works as well as construction equipment as per the guidelines laid down by the Government of India. Employer shall not provide import license.

**18.0 WITHHOLDING, ACCOUNTING AND TAX REQUIREMENTS**

Signature & Seal of Bidder





BHAGYANAGAR  
GAS LIMITED

**Tender for Site Development at Peddapuram and Shifting of  
Pipes from Madhavapatnam to Peddapuram**

**Bid Document No. BGL/391/2017-18**

VOLUME  
II OF II

Contractor agrees for withholding from wages and salaries of its agents, servants or employees all sums, required to be withheld by the laws of the Republic of India or any other agency having jurisdiction over the area where Contractor is conducting operations, and to pay the same promptly and directly when due to the proper authority. Contractor further agrees to comply with all accounting and reporting requirements of any Nation having jurisdiction over the subject matter hereof and to conform to such laws and regulations and to pay the cost of such compliance. If requested, Contractor will furnish the evidence of payment of applicable taxes, in the country(ies) of the Contractor's and his sub-contractor(s) and expatriate employees

**19.0 INTELLECTUAL PROPERTY**

19.1 Neither Employer nor Contractor nor their personnel, agents nor any sub-contractor shall divulge to any one (other than persons designated by the party disclosing the information) any information designated in writing as confidential and obtained from the disclosing party during the course of execution of the works so long as and to the extent that the information has not become part of the public domain. This obligation does not apply to information furnished or made known to the recipient of the information without restriction as to its use by third parties or which was in recipient's possession at the time of disclosure by the disclosing party. Upon completion of the works or in the event of termination pursuant to the provisions of the contract, Contractor shall immediately return to Employer/Consultant all drawings, plans, specifications and other documents supplied to the Contractor by or on behalf of Employer/Consultant or prepared by the Contractor solely for the purpose of the performance of the works, including all copies made thereof by the Contractor.

**20.0 FIRM PRICE**

20.1 The quoted prices shall be firm and shall not subject to price escalation till the work is completed in all respects.

**21.0 WORKS CONTRACT**

21.1 The work covered under this contract shall be treated as "Works Contract".

**22.0 PROVIDENT FUND ACT**

22.1 The Contractor shall strictly comply with the provisions of Employees Provident Fund Act and register themselves with RPFC before commencing work. The Contractor shall deposit Employees and Employers contributions to the RPFC every month. The Contractor shall furnish along with each running bill, the challan/ receipt for the payment made to the RPFC for the preceding months.

**23.0 MOBILIZATION ADVANCE**

Not applicable

**24.0 VOID**

Signature & Seal of Bidder



**25.0 TERMS OF PAYMENT**

25.1 Basis and terms of payment for making “On Account Payment” shall be as set out in **Annexure-5** to SCC.

**26.0 COMPENSATION FOR EXTENDED STAY**

Not Applicable

**27.0 COORDINATION WITH OTHER AGENCIES**

27.1 Work shall be carried out in such a manner that the work of other agencies operating at the site is not hampered due to any action of the Contractor. Proper coordination with other agencies will be Contractor's responsibility. In case of any dispute, the decision of Engineer-in-Charge shall be final and binding on the Contractor.

**28.0 SETTLEMENT OF DISPUTE BETWEEN TWO PSU'S**

In the event of any disputes or difference relating to the interpretation and application of the provisions of the contracts, such disputes or differences shall be referred by either party to the Arbitration in the Department of Public Enterprises nominated by the Secretary to the Govt. of India in charge of the Board of Public Enterprises, Govt. of India. The Arbitration and Conciliation of shall not be applicable to such arbitration. The award of the Arbitrator shall be binding upon the parties to the dispute, provided, however, any party aggrieved by such award may make a further reference for setting aside or revision of the award to the Law Secretary, Ministry of Law and Justice, Government of India. Upon such reference the dispute shall be decided by the Law Secretary or the Special/ Additional Secretary when so authorized by the Law Secretary whose decision shall bind the parties finally and conclusively. The parties to the dispute will share equally the cost of arbitration as intimated by the Arbitrator.

**29.0 ROYALTY**

29.1 Contractor's quoted rate should include the royalty on different applicable items as per the prevailing Government rates. In case, Employer is able to obtain the exemption of Royalty from the State Government, the contractor shall pass on the same to Employer for all the items involving Royalty.

**30.0 SITE FACILITIES FOR WORKMEN**

30.1 Following facilities are to be ensured at all work places where workmen are deployed/engaged by Contractor.

- i) Arrangement of first aid
- ii) Arrangement for clean drinking water.



- iii) Toilets
- iv) Canteen where tea & snacks are available
- v) A crèche where 10 or more women workmen are having children below the age of 6 years.

**31.0 ARBITRATION**

31.1 Clause No.107.0 of GCC pertaining to Arbitration shall be replaced by the following:-

31.1.1 All disputes, controversies, or claims between the parties (except in matters where the decision of the Engineer-in-Charge is deemed to be final and binding) which cannot be mutually resolved within a reasonable time shall be referred to Arbitration by sole arbitrator.

31.1.2 The Employer (BGL) shall suggest a panel of three independent and distinguished persons to the other party (Bidder/Contractor/ Supplier/Buyer as the case may be) to select any one among them to act as the sole Arbitrator.

31.1.3 In the event of failure of the other party to select the sole Arbitrator within 30 days from the receipt of the communication suggesting the panel of arbitrators, the right of selection of sole Arbitrator by the other party shall stand forfeited and the Employer shall have discretion to proceed with the appointment of the sole Arbitrator. The decision of the Employer on the appointment of Sole Arbitrator shall be final and binding on the both parties.

31.1.4 The award of the Sole Arbitrator shall be final and binding on the parties and unless directed/awarded otherwise by the Sole Arbitrator, the cost of arbitration proceedings shall be shared equally by the Parties. The arbitration proceeding shall be in English language and the venue shall be at Hyderabad, India.

31.1.5 Subject to the above, the provisions of (Indian) Arbitration & Conciliation Act, 1996 and the rules framed there under shall be applicable.

31.1.6 All matters relating to this contract are subject to the exclusive jurisdiction of the Courts situated in Hyderabad (India).

31.1.7 Bidders/ Supplier/ Contractors may please note that the Arbitration & Conciliation Act, 1996 was enacted by the Indian Parliament and is based on United Nations Commission on International Trade Law (UNCITRAL, model law), which were prepared after extensive consultation with Arbitral Institutions and centres of International Commercial Arbitration. The United Nations General Assembly vide resolution 31/98 adopted the UNCITRAL Arbitration rules on 15 December 1976.

**32.0 PRICE REDUCTION SCHEDULE:** Applicable as per the GCC Clause No.27.

### **33.0 PROJECT PLANNING, SCHEDULING AND MONITORING SYSTEM**

33.1 The Contractor shall follow the specifications with respect to Project Planning, Scheduling and Monitoring system as giving in Bidding Document.

### **34.0 CHECKING OF LEVELS**

34.1 The Contractor shall be responsible for checking levels, orientation plan of all foundations, foundation bolts, etc., well in advance of taking up the actual erection work and bring to the notice of Engineer-in-Charge discrepancies, if any. In case of minor variations in levels etc. the Contractor shall carry out the necessary rectifications to the foundations within his quoted price.

34.2 The Contractor shall also be responsible for checking with templates, wherever necessary, the disposition of foundation bolts with the corresponding bases of structure and shall effect rectifications, as directed, within his quoted rate.

### **35.0 STORAGE FACILITIES**

35.1 The Contractor shall maintain wherever required an air-conditioned room for the storage of the instruments as well as for calibration and testing of the instruments at his own cost. The contractor shall provide these facilities within the quoted price.

### **36.0 ABNORMALLY HIGH RATED ITEMS (AHR ITEMS)**

36.1 Clause No. 20.0 of GCC is modified to the following extent: the contract where the quoted rates for the items exceed 50% of the owners/ estimated rates, such items will be considered as Abnormally High Rates Item (AHR) and payment of AHR items beyond the SOR stipulated quantities shall be made at the least of the following rates:

- i) Rates as per SOR, quoted by the Contractor.
- ii) Rate of the item, which shall be derived as follows:
  - a) Based on rates of machine and labour as available from the contract (which includes contractor's supervision, profit, overheads and other expenses).
  - b) In case rates are not available in the contract, rates will be calculated based on prevailing market rates of machine, material and labour plus 15% to cover contractor's supervision profit, overhead & other expenses.

### **37.0 BANK GUARANTEES**

37.1 The provision relating to submission of Bank Guarantee from any Nationalized Bank wherever appearing in above documents stand replaced by the following:

- i) Bank guarantees towards Bid Security from any Indian scheduled bank or a branch of an International bank situated in India and registered with Reserve Bank of India as scheduled

- foreign bank in case of
- ii) Indian bidder and from any reputed International Bank or Indian scheduled bank in case of foreign bidder, may be accepted. However, other than the Nationalized Indian Banks, the banks whose BGs are furnished, must be commercial banks having net worth in excess of Rs.1000 Million and a declaration to this effect should be made by such commercial bank either in the bank guarantee itself or separately on a letter head.
- iii) Similarly, bank guarantees towards Performance and Advance Payments may be accepted from any Indian scheduled bank or a branch of an International bank situated in India and registered with Reserve Bank of India as scheduled foreign bank in case of Indian bidder as well as foreign bidder. However, other than the Nationalized Indian Banks, the banks whose BGs are furnished, must be commercial banks having net worth in excess of Rs.1000 Million and a declaration to this effect should be made by such commercial bank either in the bank guarantee itself or separately on a letter head.
- iv) Guarantee towards Bid Security/Contract and Equipment Performance / Advance Payment may also be acceptable from All India Level Public Financial Institution on case to case basis meeting the following criteria :
- a) The Institution is All India Level Public Financial Institution.
- b) It should be rated AAA by any rating agency like CRISIL.
- c) The Institution should be authorised by way of Law/its memorandum to issue such guarantee.

### **38.0 CENVAT BENEFITS**

38.1 Contractor shall be required to provide the Employer with all documents necessary for the Employer to claim Cenvat benefits on the countervailing duty and excise duty paid on the materials to be supplied as per the Bidding document. Payment shall be made as per the payment terms indicated in the Contract against the Contractor's relevant running account bills against receipt of requisite Cenvatable documents.

Contractor shall provide the Cenvatable Invoices (bearing Service Tax Registration Number) equivalent to Cenvatable Service Tax quoted in the Price Schedule

In case the Contractor fails to provide the requisite Cenvatable documents to Employer to enable Cenvat benefits of equivalent amount quoted in Price Schedule, the Contract Price payable to the Contractor shall stand adjusted/reduced to the extent of the shortfall.

### **39.0 COMPUTERIZED BILLS**

Contractor shall submit computerized bills with duly printed GST Registraion

no. etc.

#### **40.0 ORDER PLACEMENT OF BOUGHT OUT ITEMS**

The contractor is required to submit detailed procurement plan for all bought out items within 10 days from the date of placement of work order with inspection and test plan. At the discretion of BGL, the material categorization plan shall be approved, and deploy inspection agency to inspect the materials at vendor shop. The materials shall be procured as per the instruction of engineer in-charge to meet the schedule. The materials shall not be used without Manufacturing test certificates and other traceability reports confirming to the required specification.

#### **41.0 POWER WATER & OTHER UTILITIES**

Power, water and other utilities shall be arranged by the contractor at his own cost.

### **ANNEXURES TO SCC**

**CONTENTS**

Annexure-1	:	Scope of Work
Annexure-2	:	Scope of Supply
Annexure-3	:	Time Schedule
Annexure-4	:	Measurement of Work
Annexure-5	:	Terms of Payment
Annexure-6	:	Condition for issue and Reconciliation of Materials
Annexure-7	:	Construction equipment to be deployed
Annexure-8	:	Schedule of Labour Rate
Annexure-9	:	Schedule of Equipment Hourly Rental Rate



**Tender for Site Development at Peddapuram and Shifting of  
Pipes from Madhavapatnam to Peddapuram**

VOLUME  
II OF II

**Bid Document No. BGL/391/2017-18**

**SCOPE OF WORK**  
**(Annexure-I to SCC)**



BHAGYANAGAR  
GAS LIMITED

**Tender for Site Development at Peddapuram and Shifting of  
Pipes from Madhavapatnam to Peddapuram**

**Bid Document No. BGL/391/2017-18**

VOLUME  
II OF II

**ANNEXURE-1 TO SCC**

Separately attached.



**Tender for Site Development at Peddapuram and Shifting of  
Pipes from Madhavapatnam to Peddapuram**

VOLUME  
II OF II

**Bid Document No. BGL/391/2017-18**

**SCOPE OF SUPPLY**

**(Annexure-II to SCC)**



**ANNEXURE-2 TO SCC**

**1.0 SCOPE OF SUPPLY**

**1.1 Owner's Scope of Supply (Free Issue Item)**

Owner's scope of supply shall be as mentioned in the scope of work and specifications as per the tender is NIL.

Conditions for Issue and Reconciliation of Materials shall be as per Document enclosed as **Annexure-VI** to SPECIAL CONDITIONS OF CONTRACT.

**1.2 Contractor's Scope of Supply**

All materials except what is under Owner's scope of supply as mentioned in Clause No. 1.1 above, and which are required for successful completion of works in all respects shall be supplied by the Contractor and the cost of such supply shall be deemed to have been included in the quoted price without any additional liability on the part of Owner.



Bhagyanagar Gas Ltd.  
BHAGYANAGAR  
GAS LIMITED

**Tender for Site Development at Peddapuram and Shifting of  
Pipes from Madhavapatnam to Peddapuram**

**Bid Document No. BGL/391/2017-18**

VOLUME  
II OF II

**TIME SCHEDULE**

**(ANNEXURE-III TO SCC)**

**ANNEXURE-3 TO SCC**

**TIME SCHEDULE**

<b>Name of Work</b>	<b>Time of Completion</b>
SITE DEVELOPMENT, FILLING OF AREA, FENCING WORKS AND SHIFTING OF CS PIPES AT PROPOSED CGS-II AT IDA-PEDDAPURAM	8 months from date of FOI/WO. The above time schedule is inclusive of Mobilization period.

**Note:**

- 1) The time of completion shall be reckoned from the date of award of contract, which shall be the date of issue of letter/ Fax of Intent.
- 2) The time indicated is for completing all the works in all respects as per specifications, codes, drawings and instructions of Engineer-in-charge.
- 3) It should be noted that the period of construction given above includes preparation of drawings (if required), procurement and supply of materials including their inspection & testing, mobilization at site, construction, obtaining permits, laying, fabrication, erection inspection, testing, rectification (if any), pre-commissioning, commissioning and demobilization works etc. complete in all respects to the entire satisfaction of Owner/ Engineer-in-charge.

\_\_\_\_\_  
**(STAMP & SIGNATURE OF  
BIDDER)**



BHAGYANAGAR  
GAS LIMITED

**Tender for Site Development at Peddapuram and Shifting of  
Pipes from Madhavapatnam to Peddapuram**

**Bid Document No. BGL/391/2017-18**

VOLUME  
II OF II

**MEASUREMENT OF WORK**

**(Annexure-IV to SCC)**



**MEASUREMENT OF WORK**

**1.0 GENERAL**

- 1.1 The mode of measurement shall be as mentioned in relevant standard specification incorporated in the Bidding Document. Any other mode of measurements not covered in above specifications shall be followed in accordance with relevant BIS codes/ Schedule of Rates/ Specifications etc. and/ or as decided by Engineer-in-charge. The decision of the engineer in-charge will be binding on the contractor.
- 1.2 Payment will be made on the basis of joint measurements taken by Contractor and certified by Engineer-in-charge. Measurement shall be based on "Approved for Construction" drawings, to be the extent that the work conforms to the drawings and details are adequate.
- 1.3 Wherever work is executed based on instructions of Engineer-in-charge or details are not adequate in the drawings, physical measurements shall be taken by Contractor in the presence of Engineer-in-charge.
- 1.4 Measurements of weights shall be in metric tonnes corrected to the nearest Kilogram. Linear measurements shall be in meters corrected to the nearest centimeters.
- 1.5 The weights mentioned in the drawing or shipping list shall be the basis for payment. If mountings for panels etc. are packed separately, their erection weights shall include all mountings.
- 1.6 Welds, bolts, nuts, washers etc. shall not be measured. Rates for structural steel work shall be deemed to include the same.
- 1.7 No other payment either for temporary works connected with this Contract or for any other item such as weld, shims, packing plates, erection bolts, nuts, washers, grout etc. shall be made. Such items shall be deemed to have been included for in the rates quoted.
- 1.8 Measurement will be made for various items under schedule of rates on the following basis as indicated in the unit column.

- |             |             |
|-------------|-------------|
| i) Weight   | : MT or Kg  |
| ii) Length  | : M (Meter) |
| iii) Number | : No.       |
| iv) Volume  | : Cu.M      |
| v) Area     | : Sq.M      |



Bhagyanagar Gas Ltd.

BHAGYANAGAR  
GAS LIMITED

**Tender for Site Development at Peddapuram and Shifting of  
Pipes from Madhavapatnam to Peddapuram**

**Bid Document No. BGL/391/2017-18**

VOLUME  
II OF II

**TERMS OF PAYMENT**

**(Annexure-V to SCC)**



BHAGYANAGAR  
GAS LIMITED

**Tender for Site Development at Peddapuram and Shifting of  
Pipes from Madhavapatnam to Peddapuram**

**Bid Document No. BGL/391/2017-18**

VOLUME  
II OF II

**ANNEXURE-5 TO SCC**

**1.0 TERMS OF PAYMENT**

Pending completion of the whole works, provisional progressive payments for the part of work executed by the contractor shall be made by Owner on the basis of said work completed and certified by the Owner's representative as per the agreed milestone payment schedule and the percentage break-ups given below

Contractor shall submit his invoices to the Owner's representative monthly in the manner as instructed by Owner. Each invoice will be supported by documentation acceptable to Owner and certified by the Owner's representative. Payments made by owner to the contractor for any part of the work shall not deem that the Owner has accepted the work.

No RA bills will be entertained till completion of the all works and the payment shall be made as per the following terms :-

**For all SOR item 1.0 to 4.0**

90%	On completion of individual SOR items as per the instruction of engineer in charge and acceptance thereof.
10%	after Completion of the works in all respects.



BHAGYANAGAR  
GAS LIMITED

**Tender for Site Development at Peddapuram and Shifting of  
Pipes from Madhavapatnam to Peddapuram**

**Bid Document No. BGL/391/2017-18**

VOLUME  
II OF II

**CONDITIONS FOR ISSUE AND RECONCILIATION OF MATERIAL**

**(Annexure-VI to SCC)**





## **1.0 CONDITIONS FOR ISSUE OF MATERIALS**

Whenever any material is issued by Owner, following conditions for issue of material in addition to other conditions specified in the contract shall be applicable.

- 1.1 Necessary indents will have to be raised by the Contractor as per procedure laid down by the Engineer-in-charge from time to time, when he requires the above material for incorporation in permanent works.
- 1.2 Materials will be issued only for permanent works and not for temporary works, enabling works etc. unless specifically approved by the Engineer-in-charge and the same shall not be taken into account for the purpose of materials reconciliation.
- 1.3 The contractor shall bear all other cost including lifting, carting from issue points to work site/ contractor's store, custody and handling etc. and return of surplus/ serviceable scrap materials to Owner's storage points to be designated by the Engineer-in-charge etc. No separate payment for such expenditure will be made.
- 1.4 No material shall be allowed to be taken outside the plant without a gate pass.
- 1.5 The contractor shall be responsible for proper storage, preservation and watch & ward of the materials.
- 1.6 The Contractor will maintain a register with record of all the materials received from client/owner, Materials issued for installing and the materials remaining with proper identification, batch number etc.
- 1.7 All free issue materials shall be issued to contractor against submission of Indemnity Bond (as per **Form-14** attached in bid document) for 150% value of free issue materials.
- 1.8 In case of any defects in the materials issued the same shall be returned to BGL stores within 15 days of issuance of materials by BGL.
- 1.9 In case of non availability of required material to be provided by the contractor and the material being available with BGL, it can be issued to the contractor on chargeable basis. The charges payable by the contractor shall be in advance and at the last PO rate plus 15% towards overheads. However, any delay on account of non-availability of material shall be to contractor's account for applicability of PRS clause.

## **2.0 Reconciliation of Owner supplied materials**

Every month, the contractor shall submit an account for all materials issued by Owner in the proforma prescribed by the Engineer-in-charge. On completion of the work the contractor shall submit "Material Appropriation Statement" for all materials issued by the Owner in the proforma prescribed by the Engineer-in-charge.



BHAGYANAGAR  
GAS LIMITED

**Tender for Site Development at Peddapuram and Shifting of  
Pipes from Madhavapatnam to Peddapuram**

**Bid Document No. BGL/391/2017-18**

VOLUME  
II OF II

Unserviceable materials (scrap) lengths of pipes and other partly used items are the property of BGL and must be returned to the store with the proper documentation so that they can be considered as part of the material reconciliation.

<b>Item</b>	<b>Unaccountable</b>	<b>Scrap</b>
Gas Meters	0%	0%
Isolation & appliance valves	0%	0%
Regulators	0%	0%
GI Service Pipes	2%	2% (less than 0.5 mtrs)
PE Pipes	2%	2% (less than 2.0 mtrs)
Consumables	Discretionary	-

The percentage allowance shall be accounted on the basis of final measurement book.

All unused, scrap materials and salvageable materials shall be the property of the Owner and shall be returned by the Contractor category-wise at his cost to the Owner's designated store yard(s). In case the Contractor fails to do so/ or exceeds the limits of allowances specified above for scrap/ serviceable materials, then recovery for such quantities not returned as well as returned in excess of permitted limit by the Contractor will be done at the penal rate i.e. 125% of landed cost at the time of final bill/ closing of contract by Engineer-in-charge shall be effected from the Contractor's bill(s) or from any other dues of the Contractor to the Owner. Contractor shall be responsible for the adjustment/ weighment/ measurement of the surplus materials to be returned to the store. Contractor shall also be responsible for suitable segregation of returned materials into separate stacks of serviceable and scrap materials.

Wherever certain material is covered under Contractor's scope of supply whether part or in full for any item of work covered under SOR, no allowance towards wastage/ scrap etc. shall be accounted for during execution stage.



Bhagyanagar Gas Ltd.

**BHAGYANAGAR GAS  
LIMITED**

**Tender for Site Development at Peddapuram and Shifting of  
Pipes from Madhavapatnam to Peddapuram**

**Bid Document No. BGL/391/2017-18**

VOLUME  
II OF II

**CONSTRUCTION EQUIPMENT TO BE DEPLOYED**

**(Annexure-VII to SCC)**

**As required**



BHAGYANAGAR GAS  
LIMITED

**Tender for Site Development at Peddapuram and Shifting of  
Pipes from Madhavapatnam to Peddapuram**

**Bid Document No. BGL/391/2017-18**

VOLUME  
II OF II

**SCHEDULE OF LABOUR RATES  
(Annexure-VIII to SCC)**

**SCHEDULE OF LABOUR RATES (FOR EXTRA WORKS)**

---

Sl. Classification Rates in INR for 8 hours  
No. Personnel

---

Daily Rate in Rs.

---

1.	Engineer	1000/-
2.	Surveyor Foreman	500/-
3.	Pipe Fitter	700/-
4.	Pipe Welder	800/-
5.	Gas Cutter	600/-
6.	Grinder	500/-
7.	Mason	800/-
8.	Plumber	600/-
9.	Carpenter	500/-
10.	Painter	500/-
11.	Electrician	800/-
12.	Cable Jointer	175/-
13.	Instrument Technician	800/-
14.	Rigger	450/-
15.	Watchman/Helper	450/-
16.	Concrete Mixer Operator	650/-
17.	Heavy Machine Operator	1000/-
18.	Fusion Operation/ Jointer	700/-
19.	HDD tracker/surveyor	800/-
20.	HDD Rig operator	1400/-

---

**(SIGNATURE OF BIDDER)**

**NOTES:-**

Rates are final and Tenderer is to sign only without deviation.



BHAGYANAGAR GAS  
LIMITED

**Tender for Site Development at Peddapuram and Shifting of  
Pipes from Madhavapatnam to Peddapuram**

**Bid Document No. BGL/391/2017-18**

VOLUME  
II OF II

**EQUIPMENT HOURLY RENTAL RATES FOR EXTRA WORKS**

**(Annexure-IX to SCC)**

**EQUIPMENT HOURLY RENTAL RATES FOR EXTRA WORKS**

-----  
-----  
SL. DESCRIPTION OF  
NO. EQUIPMENT

HOURLY RENTAL RATES FOR  
EXTRA WORKS INCLUDING  
CONSUMABLES

1)	Dozers	Rs. 1100/-
2)	Excavator 0.5 m <sup>3</sup>	Rs. 1000/-
3)	Moling machine	Rs. 650/-
4)	Compressors 210 CFM	Rs. 350/-
5)	Dewatering Pumps	Rs. 125/-
6)	Fusion Jointing Machine	Rs. 250/-
7)	Diesel operated power generators	Rs. 200/-
8)	Gas cutting set with cylinders	Rs. 100/-
9)	Compressor 600 CFM Capacity	Rs. 500/-
10)	Trucks	Rs. 225/-
11)	Car/Jeep	Rs. 200/-
12)	Tractor with trolley Tripod with 5 Tons Chain Pulley	Rs. 200/-
13)	Block	Rs. 100/-
14)	Welding Machine	Rs.800/-

-----



Bhagyanagar Gas Ltd.

**BHAGYANAGAR GAS  
LIMITED**

**Tender for Site Development at Peddapuram and Shifting of  
Pipes from Madhavapatnam to Peddapuram**

**Bid Document No. BGL/391/2017-18**

VOLUME  
II OF II

**SECTION – 8**

**SCOPE OF WORK**



BHAGYANAGAR GAS  
LIMITED

**Tender for Site Development at Peddapuram and Shifting of  
Pipes from Madhavapatnam to Peddapuram**

**Bid Document No. BGL/391/2017-18**

VOLUME  
II OF II

**Scope of Work**

CONTENTS

- 01.0 SCOPE OF WORK (ACTIVITYWISE).
- 02.0 DETAILED SCOPE OF WORK.
- 03.0 COMPLETION TIME SCHEDULE.
- 04.0 GENERAL INSTRUCTIONS TO THE CONTRACTOR.
- 05.0 REFERENCE SPECIFICATION, CODES AND STANDARDS
- 06.0 APPROVALS
- 07.0 PROGRESS OF WORK.



## **1.0 SCOPE OF WORK.**

The broad scope of work is essentially but not limited to the following.  
SITE DEVELOPMENT, FILLING OF AREA, FENCING WORKS AND SHIFTING OF CS  
PIPES AT PROPOSED CGS-II AT IDA-PEDDAPURAM

- 1) Back filling of Earth in the open area to the road level.
- 2) Construction of fencing with barbed wire along the boundaries of the plot and Fabrication and fixing of 4M width gate.
- 3) Handling, Loading, Transportation and unloading of 3 Layer PE coated and bare pipelines of CS pipelines from Madhavapatnam to Peddapuram of

### **02.0 DETAILED SCOPE OF WORK UNDER THE PRESENT TENDER:**

Detailed scope of work is divided under different sub-heads. List of sub-heads along with different activities (with brief specification) is evolved and estimated quantities are given. The tenderer has to quote on sub-head wise per unit rate as mentioned.

Generally the following shall constitute the Contractor's scope of work but not limited to as given herein:

#### **02.01 BACK FILLING OF EARTH IN THE PLOT:**

Sweet Earth: Sweet earth is the clayey earth to be obtained from borrows areas indicated in the drawings or, prospecting to be carried out by the Contractor as per detailed specifications and direction of the Owner. Earth obtained from the excavation of the plot may be used for plot filing, if found suitable (as per relevant IS code) laboratory tests. All materials required for the backfill etc shall be obtained from the designated borrow areas to be prospected & so tested by the Contractor as per specification and as shown in construction drawings or as designated by the Owner. The depth of cut in all borrow areas will be designated by the Owner and the cuts shall be made to such designated depths only. Shallow cuts will be permitted in the borrow areas if un-stratified materials with uniform moisture contents are encountered. Each designated borrow area shall be fully exploited before switching over to the next designated borrow area. Haphazard exploitation of borrow pits shall not be permitted. The type of equipment used and the operations in the excavation of materials in borrow areas shall be such as will produce the required uniformity of mixture of materials for the embankment.

The earth used for filling shall be free from all roots, grass, shrubs, rank vegetation, brushwood, tress, sapling and rubbish.





BHAGYANAGAR GAS  
LIMITED

## Tender for Site Development at Peddapuram and Shifting of Pipes from Madhavapatnam to Peddapuram

**Bid Document No. BGL/391/2017-18**

VOLUME  
II OF II

Filling with excavated earth shall be done in regular horizontal layers each not exceeding 20 cm in depth. All lumps and clods exceeding 8 cm in any direction shall be broken. Each layer shall be watered and consolidated with steel rammer or ½ tonne roller. Where specified, every third and top must layer shall also be consolidated with power roller of minimum 8 tonnes. Wherever depth of filling exceeds 1.5 metre vibratory power roller shall be used to consolidate the filling unless otherwise directed by Engineer-in-charge. The top and sides of filling shall be neatly dressed. The contractor shall make good all subsidence and shrinkage in earth fillings, embankments, traverses etc. during execution and till the completion of work unless otherwise specified.

Note: All permission to procure borrow earth, royalties, cess and transportation, etc. shall be contractors' responsibility.

### **Tamping:**

Earth fill shall be spread in layers of not more than 150 mm. in thickness when loose and shall be moistened to have the required moisture content as specified. When each layer of material has been conditioned to have the required moisture content, it shall be compacted to the specified density by rollers, mechanical tampers by other approved methods. All equipment and methods used shall be subject to approval based on evidence of actual performance and field compaction tests. The capacity of mechanical roller/tamper and number of passes required to achieve the specified [95% of MDD] shall be determined based on field tests [to match the OMC & MDD for the borrow material as determined at Approved Laboratory] before taking up the filling of earth.

### **02.02 CONSTRUCTION OF FENCING WITH BARBED WIRE ALONG THE BOUNDARIES OF THE PLOT AND FABRICATION AND FIXING OF 4M WIDTH GATE:**

Fencing with RCC post placed at required distance, embedded in cement concrete blocks, every 15th post, last but one end post and corner post shall be strutted on both sides and end post side only, provided with horizontal lines and two diagonals of barbed wire 9.38 kg per 100 meters(min) between two posts fitted and fixed with G.I. staples on wooden plugs or G.I. binding wire tied to 6mm bar nibs fixed while casting the post (Cost of RCC post, struts, earth work and concrete to be paid separately);- Payment to be made per metre cost of total length of barbed wire used.

### **02.03 LOADING, TRANSPORTATION, UNLOADING AND STORAGE OF CS PIPES FROM MADHAVAPATNAM TO PEDDAPURAM CGS-II:**

This SCOPE covers the minimum requirements for transportation and handling of bare and Polyethylene coated line pipe.



### **02.03.01 REGULATIONS AND STANDARDS**

- Contractor shall meet or exceed the requirements of the latest edition of the following codes, regulations and standards, except as superseded herein. In cases where more than one code, regulation or standard apply to the same condition, the most stringent shall be followed. In the even of a conflict between this specification and other specifications or correspondence, the OWNER / shall be consulted and a ruling, in writing, shall be obtained before any work is started.

1. API RP 5L 1-Recommended Practice for Railroad Transportation of Steel Line Pipe.
2. API RP 5LW-Recommended Practice for Transportation of Line Pipe on Barges and Marine Vessels.
3. DIN 30670-Polyethylene Coatings for Steel Pipes and Fittings.

All Laws and Regulations of Authorities having jurisdiction over transportation of goods in all locations between the point of lading and the destination.

- Some requirements in this specification may be modified by specific requirements in the Purchase Specification. In case of conflict, the specific requirements supersede this specification.
- Any deviation from this specification must be approved, in writing, by OWNER/CONSULTANT. Such written approval must be obtained prior to the commencement of any work which would constitute such a deviation.

### **02.03.02 GENERAL**

#### **➤ Definitions**


For this specification the following definitions shall apply:


- OWNER - BHAGYANAGAR GAS LTD.  
CONTRACTOR - The Company named as such in the deed.  
SHALL/MUST/IS TO BE - A mandatory requirement  
SHOULD - A non-mandatory requirement, advisory or recommendation.

- Transportation and handling of line pipe to this specification shall meet the requirements of API RP 5L1 OR API RP 5LW as applicable, as well as the requirements of this specification which exceed the requirements of API RP 5L1 or API RP 5LW.
- Pipe shall be transported, handled and stored in a manner such that corrosion and mechanical damage, to both pipe and coating are prevented until the pipe has been delivered to designated stockpile area.




- Special attention shall be paid for loading/unloading and handling works so as to prevent damage of pipe body and polyethylene.
- Nylon Sling or pipe handling hooks which do not damage pipe ends shall be used for loading/unloading and stacking Refer Fig. 1 & 2.






- Any shock or pressure by hard substance which may damage the surface of pipe body and polyethylene coating should be avoided Refer Fig. 3 & 4.



**Fig. 3**



**Fig. 4**

- Pipe shall be stacked in a nested manner such that the weld seams of the pipes are kept free from contact with other pipes or blocking.
- Loading of pipes of different outside diameter in one stack shall be avoided.
- Any additional requirements to be applied to a particular purchase shall be included on specification sheets accompanying the Purchase inquiry. This specification sheet shall be deemed as part of the project specification.
- If pipes of the same outside diameter but different wall thickness or steel grade are loaded in one stack, pipe with the higher steel grade shall be loaded under

lower steel grade, or heavier wall thickness shall be loaded under lighter wall thickness. For loads of mixed steel grade and wall thickness, the product of steel grade and wall thickness shall be used to determine stacking order.

- Joints shorter than the average joint length shall be loaded on top, and in any case shall not be loaded in bottom tiers.

#### **02.03.04 TRUCK/ TRAILOR TRANSPORTATION**

- Transportation of line pipe by truck to this specification shall comply with the laws and regulations of authorities having the jurisdiction over transportation of goods in all jurisdictions between the point of loading and location of destination. Loading and handling procedures shall comply with the requirements of API RP 5L1 for loading and handling for rail transportation where applicable.
- Wooden Dunnage shall be laid at approximately same interval. Soft material such as rubber sheet should preferably be applied between pipe and dunnage.
- Pipe shall be stacked in a nested manner such that the weld seams of the pipes are kept free from contact with other pipes or blocking.
- Loading of pipes of different outside diameter in one stack shall be avoided.
- If pipes of the same outside diameter but different wall thickness or steel grade are loaded in one stack, pipe with the higher steel grade shall be loaded under lower steel grade, or heavier wall thickness shall be loaded under lighter wall thickness. For loads of mixed steel grade and wall thickness, the product of steel grade and wall thickness shall be used to determine stacking order.
- Joints shorter than the average joint length shall be loaded on top, and in any case shall not be loaded in bottom tiers.
- Pipe shall be stacked suitably so as not to deform the bottom layers of the pipe.
- Trucks shall be provided with fenders/mud flaps to prevent stones and gravel from impacting the pipe
- When transporting exterior coated pipe, rubber padding shall be used to separate each joint from contact with adjacent joints and with the surface of the rail car. Reasonable care shall be used in handling to ensure that the pipe reaches its destination with coating intact and undamaged.
- Details of handling/loading procedures for each size or type of pipe shall be provided in writing to OWNER for approval, prior to commencement of loading operations. OWNER review and/or approval of Contractor's procedures do not relieve the Contractor of any responsibility for complying with all of the requirements of this specification.





### **02.03.05 INSPECTION**


Contractor shall give OWNER a minimum of ten (10) working days written notice, prior to commencement of any loading/unloading operations. OWNER / CONSULTANT reserves the right to inspect at any time, without advance notice, at point of loading, or at any point in transit, any loading/unloading or transportation operation.

### **02.03.06 SAFETY**


Contractor shall comply with local Occupational Health and Safety laws and regulations and with local laws and regulations governing transportation of goods by railroad, truck or water as applicable.

### **02.03.07 STORAGE AT PIPE YARD**

- To avoid sinking, the pipe yard shall be compacted and levelled.
- Proper drainage of water shall be maintained so that there is no water logging in the pipe yard.
- The approach to pipe yard shall be motorable.
- All the development plans for pipe yard shall be submitted for OWNER approval.
- Special attention shall be paid for loading/unloading and handling pipes so as to prevent damage of pipe body and coating.
- Nylon slings or pipe-handling hooks which do not damage pipe ends shall be used for loading/unloading and stacking.
- Any shocks or pressure by hard substance which may damage the surface of the pipe body and coating should be avoided.
- Pipes can be stored horizontally and parallelly. Refer Fig. 5.



- Wooden Dunnage shall be laid on the ground approximately at the same interval.
- For both ends of bottom tier suitable wooden stoppage shall be applied and fixed with nails or spikes. Refer Fig. 6.



- Applicable international standard shall be followed for storage of the coated and bare pipes at pipe yard. Contractor to furnish copies of relevant standard followed. Pipes shall be placed so as they don't contact each other.
- The parts of equipments/items which come in direct contact with pipes for handling the coated pipes shall be of rubber coated or such material which can avoid damage to the pipes.
- Pipes should be stored using pallets, rubber sheets or any other soft material.
- Rubber sheet or any other soft material to be used in between pipes to avoid pipe to pipe contact so as to avoid damage to pipes






SIZE (in)	'A' (NO OF ROWS)	CIRCUMFERENCE OF FINISHED LOOPS(mm)	SIZE (in)	'A' (NO OF ROWS)	CIRCUMFERENCE OF FINISHED LOOPS(mm)	SIZE (in)	'A' (NO OF ROWS)	CIRCUMFERENCE OF FINISHED LOOPS(mm)
8"	6	750	20"	4	1580	30"	3	2500
10"	6	910				34"	3	2960
12"	5	1070				36"	3	3030
16"	5	1360	24"	4	2020	42"	3	3510


**ROPE INSTALLATION**

ROPE SPACING SHOULD BE A MAXIMUM OF 2m FROM THE PIPE ENDS AND A MAXIMUM OF 2m FROM GIRTH WELDS. THE INTERVALS BETWEEN RINGS SHOULD BE BETWEEN 3m AND 8m WITH A MINIMUM OF FOUR LOOPS SPACED OVER A STANDARD DOUBLE JOINT LENGTH (24m). THE INTERVALS MUST BE ADJUSTED TO INSURE THERE IS NO PIPE TO PIPE CONTACT. ROPE ENDS SHALL BE FUSED WITH A BLOW TORCH PRIOR TO SLIPPING THE LOOP OVER THE PIPE.



**NOTE**

1. THE USE OF ALTERNATE METHODS FOR STOCKPILING PIPE AND/OR THE USE OF ALTERNATE MATERIALS FOR PREVENTING PIPE TO PIPE CONTACT SHALL REQUIRE THE APPROVAL OF THE COMPANY.





### **03.0 Completion Time Schedule:**

**All works as mentioned in the scope of work shall be completed in a time period of 8 Months from the date of issue of work Order.**

### **04.0 General Instructions to the Contractor**

- Plan and prepare a schedule for execution and work implementation as per QA/QC plans to be approved by BGL.
- Get from BGL the latest revision of all documents/ drawings at the commencement of work / during the course of construction and execution of work at site.
- In case any discrepancy is found between drawings & documents, the same shall be brought to the notice of the Engineer-in-charge before execution of work and decision of the Engineer-in-charge shall be final and binding to the contractor without any extra cost implication to BGL.
- Specification and descriptions of various items are for identification of material and works to be carried out under them. No cost shall be quoted against these unless mentioned.
- Quantities as mentioned are indicative and can have a variation from the quantities actually executed. The contractor is advised to work out the breakup of individual work items and quantities at his own before quoting any rates. BGL is not liable for any discrepancies in the quantities and no extra time or cost shall be granted on this pretext.
- The contractor has to obtain all types of statutory approvals including completion certificate, approval from electrical inspector for electrical work and all other approvals that might be required to commission the station, from various relevant authorities during the course of work and after completion of works in co-ordination with BGL, without any cost implication to BGL.
- The contractor has to arrange all tools and plants, site fencing material, lighting arrangements, store, electricity and water at his own cost.
- The contractor should quote keeping this in mind that no request for escalation in the cost shall be entertained under any circumstances by Owner after placement of order.
- The work shall be carried out in city conditions and generally close to the roads and public services conveying a considerable volume of vehicular traffic and human activity. It is deemed necessary that the tenderer considers the "SAFETY" as the MOST IMPORTANT aspect of working conditions and is required to include in his offer all costs (direct and indirect) towards observance, compliance and provision of all safety appurtenances and norms.



- Receiving SS tubes, fittings and other free issue items from BGL's stores and bringing it to site, keeping proper care of, storing the same till they are used for construction and returning the unused material to the store.
- Handing over the completed works to BGL for their operation/ use purposes.
- Any other activity(ies) not mentioned/ covered explicitly above, but otherwise required for satisfactory completion/ operation/ safety/ statutory/ maintenance of the works shall also be covered under the Scope of Work and has to be completed by the Contractor within specified Schedule of Items of Works at no extra cost to BGL.

**05.0 REFERENCE SPECIFICATION, CODES AND STANDARDS**

The contractor shall carry out the work in accordance with this Specification, approved construction drawings issued by BGL, Standards or relevant BIS code as might be required. Should the Contractor find any discrepancy, ambiguity or conflict in or between any of the Standards and the contract documents, then this should be promptly referred to the Engineer-in-charge (EIC) for his decision, which shall be Considered binding on the contractor.

**06.0 APPROVALS**

Approval in principle for all work should be obtained from EIC prior to execution.

To ensure smooth execution of the work on a day-to-day basis it will be the Contractors responsibility to liaison with EIC / concerned engineer and obtain Necessary approvals.

**07.0 PROGRESS OF WORK**

The Contractor shall proceed with the Work under the Contract with due expedition and without delay .The EIC may direct in what order and at what time the various stages or parts of the work under the Contract shall be performed. If the Contractor can reasonably comply with this direction, the Contractor shall do so. If the Contractor cannot reasonably comply, the Contractor shall notify the EIC in writing giving reasons.





Bhagyanagar Gas Ltd.

BHAGYANAGAR GAS  
LIMITED

**Tender for Site Development at Peddapuram and Shifting of  
Pipes from Madhavapatnam to Peddapuram**

**Bid Document No. BGL/391/2017-18**

VOLUME  
II OF II

## **SECTION – 9 SCHEDULE OF RATES**

S.No	Description	UOM (A)	Qty (B)	Unit Rate including all taxes and duties in Rs (C)	Total Rate including all taxes and duties (D=B xC)
1	<b>Earth work in filling</b>				
	Earth work in filling with good quality imported earth from approved source in the layers of 150 mm and compacted up to 95% to its MDD up to 4 m depth and any plan dimension including all testing, watering, rolling each layer with 1/2 tonne roller or wooden or steel rammers, and every 3rd and top-most layer with power roller of minimum 8 tonnes and dressing / filling up ground depressions etc. complete in all respect as per scope of work, detailed construction drawings , as per technical specifications and directions of the Engineer-in-charge.	M3	24,000		
2	<b>Providing and fixing Fencing Structure</b>				
	Supplying, fabricating & fixing of Barbed wire along the boundary of the site with 2 Mtrs height Concrete stone poles(1.5Mtrs above ground and 0.5Mtrs under ground) spacing every 2Mtrs distance including supply of all raw materials, bolts, electrodes, transportation, including making pockets & pouring with PCC (1:2:4) in of block 500x500x500 for fixing of posts etc complete as per enclosed drawing, technical specifications, scope of works and directions of the Engineer-In-Charge.	RM	360		
3	<b>Providing and fixing Fencing Gates</b>				
	Fencing with RCC post placed at required distance, embedded in cement concrete blocks, every 15th post, last but one end post and corner post shall be struted on both sides and end post side only, provided with horizontal lines and two diagonals of barbed wire 9.38 kg per 100 meters(min) between two posts fitted and fixed with G.I. staples on wooden plugs or G.I. binding wire tied to 6mm bar nibs fixed while casting the post (Cost of RCC post, struts, earth work and concrete to be paid separately);- Payment to be made per metre cost of total length of barbed wire used.				
	4m Wide x 1.5m High	Nos.	1		



**Tender for Site Development at Peddapuram and Shifting of  
Pipes from Madhavapatnam to Peddapuram**

**Bid Document No. BGL/391/2017-18**

VOLUME  
II OF II

4	<b>Transportation of pipes from Madhavapatam to Peddapuram GCS-II location</b>				
	Receiving, Handling, loading, transportation and unloading of the Owner supplied 3-Layer PE coated and bare line pipes from Madhavapatnam Pipeyard to the Land at Peddapuram, IDA, Phase-III with use of proper handling equipment's, stacking of the material on sleepers and sand bags etc complete as per enclosed sketch, technical specifications and directions of the Engineer-In-Charge.	Kms	30		
<b>Sub-Total Amount in Rs: (I)</b>					-
<b>GST @ _____ %:(II)</b>					
<b>Grand Total incl. of GST and all Taxes &amp; Duties in Rs: (III=I+II)</b>					