



**BHAGYANAGAR GAS LIMITED**  
(A JOINT VENTURE OF HPCL & GAIL)

**BID DOCUMENT FOR**

**Tender for Procurement of Fire Extinguishers for CGD  
& CNG Networks at Hyderabad, Vijayawada & Kakinada  
locations.**

**UNDER LIMITED DOMESTIC  
COMPETITIVE BIDDING**

**Bid Document No.: BGL/498/2020-21**

**VOLUME-II of II**

**Index**

<b>SECTION 8</b>	<b>:</b>	<b>SCOPE OF WORK</b>
<b>SECTION 9</b>	<b>:</b>	<b>SPECIAL CONDITION OF CONTRACTS</b>
<b>SECTION 10</b>	<b>:</b>	<b>SCHEDULE OF RATE (SOR)</b>

## **SECTION-8**

# **MATERIAL REQUISITION & SCOPE OF SUPPLY**

**SCOPE OF WORK**

- 1) The scope of work for the supply of Fire extinguishers is given below.
1. Supply of new Fire Extinguishers of make KANEX with warranty of one year along with BIS certificate, Fire Buckets with Stand (Fire Bucket stand of 1:4 with canopy of standard quality). Supply of ABC Fire Extinguisher should be MAP 50% and DCP 75 KGS should be of Sodium Bicarbonate.

The extinguishers mentioned above must be of make KANEX and the model numbers of the extinguishers are mentioned below.

Fire Extinguisher	Model
ABC 2kg with wall bracket	KFARQ-2-50%
CO2 4.5KG	KFCRQ - 4.5
ABC 9kg	KFARQ-9- 50%
MS Iron Stand	Suitable for CO2 4.5kg and ABC 9kg
DCP 75KG	KFDRQ-75-S
Four Fire Bucket 9ltrs capacity with stand ( with canopy type)	Standard Quality

2. The transportation and delivery charges of fire extinguisher to the outlet is in **contractor's scope**.
3. Following certificates should be provided with the supply of Fire Extinguishers:
  - a) Factory Test Report
  - b) Approval of Chief Controller of Explosive (in CO<sub>2</sub> items)
  - c) BIS Standard Certificate
  - d) Warranty Certificate
4. **LOCATION & CITY WISE DETAILS for the Supply of FIRE EXTINGUISHER :**
  - i. **HYDERABAD:**

S. No.	Location (CNG Stations)	ABC – 2Kg	ABC – 9 Kg	CO <sub>2</sub> – 4.5Kg	DCP – 75 KG	Sand Buckets + Stand with canopy (1:4)
1	Mother Station – Shamirpet	4	9	3	1	3
2	BGL Store Yard – Pudur	0	3	1	0	2
3	Medchal TSRTC Depot	1	5	4	0	2
4	Hakimpet TSRTC Depot	0	9	2	0	2
5	COCO – Saroornagar	3	5	1	0	2

6	Cantonment TSRTC Depot	1	4	2	0	2
7	BGL Head Office	2	3	2	0	0
8	BGL Project Office	1	1	1	0	0
9	Inventory	2	10	4	0	2

MS Fire Extinguisher Floor Stand for CO2 4.5 Kg and ABC 9 Kg = 68

**ii. VIJAYAWADA:**

S. No.	Location	ABC – 2Kg	ABC – 9 Kg	CO2 – 4.5Kg	DCP – 75 Kg	Sand Buckets + Stand with canopy (1:4)
1	Mother Station	0	9	3	1	2
2	Governapet APSRTC Depot	0	2	0	0	2
3	Vidhyadharapuram APSRTC Depot	0	1	1	0	2
4	Ibrahimpattam – APSRTC Depot	0	2	1	0	2
5	DRS (SBI Colony)	0	2	0	0	0
6	DRS (Vidhyapuram Depot)	0	1	0	0	0
7	Kondapally store yard	0	4	0	0	0
8	Diesel Locoshed	0	2	0	0	0
9	Project Office	0	3	0	0	0
10	Inventory	2	10	5	0	2

MS Fire Extinguisher Floor Stand for CO2 4.5 Kg and ABC 9 Kg = 46

**iii. KAKINADA:**

S. No.	Location	ABC – 2Kg	ABC – 9 Kg	CO2 – 4.5Kg	DCP – 75 Kg	Sand Buckets + Stand with canopy (1:4)
1	Mother Station	0	6	1	0	2
2	BGL Project Office, Nagamalithotha	0	2	3	0	0
3	Inventory	2	8	4	1	1

MS Fire Extinguisher Floor Stand for CO2 4.5 Kg and ABC 9 Kg = 24

5. Standards of Fire Extinguishers that need to be followed while supplying the extinguisher.
- i. **KANEX ABC Type Fire Extinguisher** Cap. 2 kg Filled with Mono Ammonium Phosphate Powder 50% confirms to IS 4308, Stored Pressure Type, UGTS Pressure Gauge, Gross Weight 3.4 Kg, Empty Weight 1.4 Kg, Can Height 380mm, Diameter 106 ± 10mm, Discharge Time 8 Sec, Controllable discharge mechanism, Jet Range 2 Meters, Average Discharge is 90%, applicable on Class A,B & C and electrically started Fire, Fire Rating 2A:34B , Can Construction : Deep drawn & CO2 Mig welded, Internal Coating - Epoxy Powder coating, External Coating - Pure Polyester Powder coating (UV Resistant), Brass forged valves with safety Pin is of SS material, Sheet metal thickness : 1.6 mm, ISI Approved IS 15683:2018. (MODEL KFARQ -2 -50%)
  - ii. **KANEX ABC Type Fire Extinguisher** Cap. 9 kg Filled with Mono Ammonium Phosphate Powder 50% confirms to IS 4308, Stored Pressure Type, UGTS Pressure Gauge, Gross Weight 13.3 Kg, Empty Weight 4.3 Kg, Can Height 575 mm, Diameter 180 ± 10mm, Discharge Time 31 Sec, Controllable discharge mechanism, Jet Range 6 Meters, Average Discharge is 90%, applicable on Class A,B & C and electrically started Fire, Fire Rating 6A:183B , Can Construction : Deep drawn & CO2 Mig welded, EPDM Rubber Hose with both end Aluminum clamped, Internal Coating – Epoxy Powder coating, External Coating - Pure Polyester Powder coating (UV Resistant), Brass forged valves with safety Pin is of SS material, Sheet metal thickness : 2.0 mm, ISI Approved IS 15683:2018.
  - iii. **KANEX 4.5 kg CO2 High Pressure Portable Fire Extinguisher**, filled with Co2 Gas as per IS 15222, Gross Weight 16.4, empty weight 11.9 Kg, Control discharge mechanism fitted with 1 Meter Wire Braided Hose & Flat Horn with Diffuser Nozzle for dispersed discharge of CO2, Discharge Time 12 Sec, Average Discharge is 95%, Applicable on Class B, C and electrically started Fire, Fire Rating 55B, Internal coating is not applicable & External coating is of enamel spray painting, Powder Coated Handle, Valve Confirm to IS 3224 ISI Marked, CO2 Cylinder construction: hot spinning by seamless pipes & bearing ISI mark, Body confirms to IS 7285 and PESO APPROVED, Extinguishers confirmed to IS 15683:2018 and ISI maked.( KFCRQ-4.5)
  - iv. **"KANEX" DCP trolley mounted Fire Extinguisher** Cap. 75 kg. filled with Sodium Bi carbonate based (SBC) powder confirms to IS 4308 Applicable fire classes B&C, Gross Weight 150 Kg, empty Weight 75 Kg, Can Height 1030mm, Diameter 400 ± 10mm, External CO2 gas Cylinder of 2 kg (PESO Approved), Discharge mechanism of EPDM Hose with SS spring of 300mm to avoid kink (5 meter long) & shut off nozzle, Discharge Time 53 Secs, Jet Range 8 Meters, Average Discharge is 85%, Body Construction by MIG Welding technology, Brass forged cap with Auto safety release mechanism at 21 kg/cm2, Internal Coating – Epoxy Powder coating, External Coating - Pure Polyester Powder coating (UV Resistant). Sheet metal thickness : 4.0 mm, Confirms to IS 16018:2012, ISI MARKED, Fire rating:233B (Model :KFDRQ-75-S)
6. The Fire extinguishers mentioned above must be delivered to the location mentioned and the transportation of fire extinguishers including transit insurance is in bidder's scope.
7. **The locations for installation of Fire Extinguisher is mentioned below for quoting the price.**

Hyderabad Location

A	M/s. Bhagyanagar Gas Limited (mother station)	Sy.no. 1266, Opp. Nalsar Law University, Shamirpet.	Medchal (Malkajgiri)	Telangana	500078
B	BGL Store Yard/ Inventory	Pudur near Nalsar Law University, Shamirpet	Medchal (Malkajgiri)	Telangana	500078
C	M/s. Bhagyanagar Gas Limited	TSRTC BUS Depot, Medchal	Medchal (Malkajgiri)	Telangana	501401
D	M/s. Bhagyanagar Gas Limited	TSRTC BUS Depot, Hakimpet	Medchal (Malkajgiri)	Telangana	500078
E	M/s. Bhagyanagar Gas Limited	TSRTC BUS Depot, Cantonment	Hyderabad	Telangana	500003
F	M/s. Bhagyanagar Gas Limited	P.no. 1/2, Sy.no. 13 to 15, Chitra Layout, LB Nagar, saroonnagar	Ranga Reddy	Telangana	500035
G	BGL Head Office	Parishram Bhavan, 2nd Floor, APIDC Building, Basheer Bagh,	Hyderabad	Telangana	500 004
H	BGL Project Office	1st Floor, Sri Krishna Nagar, Quthbullapur,	Hyderabad	Telangana	500055

Vijayawada Location

A	M/s. Bhagyanagar Gas Limited (Mother Station)	"RS. No.70, Gollapudi Road, Nr.YVR Estate, Vidhyadharapuram.	Krishna District	Andhra Pradesh	520012
B	APSRTC, Governorpet II DEPOT	Governorpet	Krishna District	Andhra Pradesh	520012
C	APSRTC, VIDYADHARAPURAM DEPOT	Vidyadharapuram	Krishna District	Andhra Pradesh	520012
D	APSRTC, Ibrahimpatnam DEPOT	Ibrahimpatnam	Krishna District	Andhra Pradesh	520012
E	BGL Project Office	359A-8/8-6b/1, 2 <sup>nd</sup> floor, Coffee Day Building Gurunanak Nagar Main Road	Vijayawada	Andhra Pradesh	520008

Kakinada Location

A	BHAGYANAGAR GAS LTD	67-1-2, BLOCK NO.67, LAL BAHADUR NAGAR, 5 BUILDING CENTRE, NAGAMALLI THOTA JUNCTION	KAKINADA	Andhra Pradesh	533003
---	---------------------	---	----------	----------------	--------

8. The Fire extinguishers must be installed at the locations mentioned and shall be certified by the Officer in charge.
9. The number of Fire Extinguishers that is mentioned for supply might increase or decrease but the rate quoted for the fire extinguisher in the SOR is final.
10. The MS Fire Stand supplied should be suitable for ABC 9KGs and CO2 4.5KGs.
11. Only after installation of fire extinguishers at the locations mentioned and receipt of certificates mentioned, the delivery acceptance is certified by the Officer in charge.
12. If there are any defects in the item supplied then the item should be replaced with new one and the bidder is liable to replace the item within 15 days else payment for the item will be held.

**The quantity of the extinguishers that are condemned / rejected during hydrotesting process and their locations are given below.**

Location: **HYDERABAD**

S.No	TYPE of FE	Capacity	Quantity (Nos)
1	CO2	9 KGs	1
2	CO2	6.5 KGs	8
3	CO2	4.5 KGs	9
4	DCP (BC class cartridge)	10 KGs	8
5	DCP (ABC stored type)	10 KGs	35
<b>TOTAL</b>			<b>61</b>

Location: **VIJAYAWADA**

S.No	TYPE of FE	Capacity	Quantity (Nos)
1	CO2	4.5 KGs	6
2	DCP (ABC stored type)	10 KGs	91
<b>TOTAL</b>			<b>97</b>

Location: **KAKINADA**

S.No	TYPE of FE	Capacity	Quantity (Nos)
1	CO2	6.5 KGs	2
2	CO2	4.5 KGs	1
3	DCP (BC class cartridge)	10 KGs	5
4	DCP (ABC Stored Type)	10 KGs	6
<b>TOTAL</b>			<b>14</b>

**Total of Fire Extinguishers from all locations = 172**

- The condemned/ rejected extinguishers are present at the mother stations of every GA locations (Hyderabad, Vijayawada, Kakinada). The bidder shall take the condemned/ rejected extinguishers and supply the fire extinguishers at the locations mentioned and shall quote the prices on exchange basis. The loading of condemned / rejected fire extinguishers from the mother station of every GA location is in the scope of the bidder.
- The bill will be processed for payment after supply of fire extinguishers and buy back of rejected fire extinguishers only.



**SECTION - 9**

**SPECIAL CONDITIONS OF CONTRACT**

**SPECIAL CONDITIONS OF CONTRACT**

**GENERAL**

- 1.1 Special Conditions of Contract shall be read in Conjunction with the General Conditions of Contract, Specification of work, Drawing and any other documents forming part of this Contract wherever the context so requires.
- 1.2 Notwithstanding the sub-division of the documents into these separate sections and volumes every part of each shall be deemed to be supplementary to and complementary of every other part and shall be read with in the Contract so far as it may be practicable to do so.
- 1.3 Where any portion of the General Conditions of Contract is repugnant to or at variance with any provisions of the Special Conditions of Contract, unless a different intention appears, the provisions of the Special Conditions of Contract shall be deemed to over-ride the provisions of the General Conditions of Contract and shall be the extent of such repugnancy, or variations, prevail.
- 1.4 Wherever it is mentioned in the specification that the Contractor shall perform certain work or provide certain facilities, it is understood that the Contractor shall do so at his cost and the **Value of Contract** shall be deemed to have included cost of such performance and provisions, so mentioned.
- 1.5 The materials, design, and workmanship shall satisfy the relevant Indian Standard, the Job Specifications contained herein and Codes referred to where the job specification stipulate requirements in addition to those contained in the standard codes and specifications, these additional requirements shall also be satisfied.
- 1.6 In case of an irreconcilable conflict between Indian or other applicable standards, General Conditions of Contract, Special Conditions of Contract, Specification, Drawings or Schedule of Rates, the following shall prevail to the extent of such irreconcilable conflict in order of precedence:
  - i) Letter of Acceptance/ FOI alongwith Statement of Agreed Variations.
  - ii) Schedule of Rates as enclosures to Letter of Acceptance
  - iii) Special Conditions of Contract
  - iv) Drawings
  - v) Technical/ Material Specifications
  - vi) Instruction to Bidder
  - vii) General Conditions of Contract
  - viii) Indian Standards
  - ix) Other applicable standards
- 1.7 It will be the Contractor's responsibility to bring to the notice of Engineer-in-charge any irreconcilable conflict in the contract documents before starting the work(s) or making the supply with reference which the conflict exists.
- 1.8 In the absence of any Specifications covering any material, design of work(s) the same shall be performed/ supplies/ executed in accordance with Standard Engineering Practice as per the instructions/ directions of the Engineer-in-charge, which will be binding on the Contractor.
- 1.9 When the materials are dispatched to the consignee intimation must also be given to this effect. Reference to the supply order should invariably be given in all the relevant correspondence.

- 1.10 The tender is liable to be rejected in case the tender does not comply with tender stipulations or the goods, works and services offered do not conform to the required specifications indicated there in.
- 1.11 Any other terms and conditions offered by the firm and not included in the order/contract, are not acceptable to BGL.

## **2 SCOPE OF SUPPLY:**

The Scope of SUPPLY shall be as set out at Material Requisition, Data Sheets and Technical Specifications given in Volume-II of tender document and supplemented by all stipulation in the total tender document.

Any material taken into the Mother station, Retail outlets/ buildings or taken out from the building shall have necessary permission from the security personnel/competent authority of the BGL.

The contractor shall be responsible for injury to anybody, breakage, loss or damage to the equipment, machinery, appliance or properties connected therewith, caused by the Negligence & act of omission or commission by the contractor, their staff, agent or Subcontractors. Further any damage/loss in the contractor's workshop or during lifting and transportation shall be repaired /replaced as the case may be, by the contractor on his cost and risk.

Certificate of CCOE approved party to be provided for all fire extinguishers hydro tested.

## **3. DELIVERY SCHEDULE**

Delivery of the total order quantity will be completed within One Months from the date of Fax of Acceptance (FOA)/Purchase Order (PO) as mentioned in Time.

## **4. COMPENSATION FOR DELAY (PRICE REDUCTION /LIQUIDATED DAMAGES)**

In case of delay in delivery of materials beyond contractually agreed delivery schedule, price reduction schedule will be applicable @0.5% of material value for the unsupplied portion per week of delay or part thereof, subject to ceiling of 5% (FIVE PERCENT) of the total order value. For details, please refer relevant clause of GCC-Goods.

The value referred in PRS clause is excluding taxes & duties.

## **5. PERFORMANCE BANK GUARANTEE SECURITY DEPOSIT:**

Vendor shall submit SD / CPBG @ 10% of Contract/Order value within 30 days of award or Initial deposit of SD / CPBG @ 5% of Contract/Order value within 30 days of award and balance to be deducted against each RA bills till balance 5% is deducted/for supply, it is to be deducted from the invoice. This deducted amount can be released/deduction can be stopped against submission of bank guarantee of equivalent amount. The contract performance bank guarantee shall be valid 03(three) months beyond the expiry of Warrantee/Guarantee period. The Performance Guarantee shall be in form of either Demand Draft or Banker's Cheque or irrevocable Bank Guarantee and shall be in the currency of Contract (issued by any Indian

Scheduled bank or a branch of an International Bank situated in India and registered with Reserve Bank of India as Scheduled Foreign Bank).

However, in case of Bank Guarantee from banks other than the Nationalized Indian bank, the bank must be a commercial bank having net worth in excess of Rs. 100 Crores or equivalent US Dollars and **a declaration** to this effect should be made by such commercial bank either in the bank guarantee itself or separately on its letterhead.

BGL shall not be liable to pay any bank charges, commission or interest on the same.

Failure of the successful bidder to comply with the requirement of this clause shall constitute a breach of contract, cause for annulment of the award, forfeiture of the bid security and any such remedy the Owner may take under the Contract pursuant to GCC-Goods.

There is no exemption to MSEs including SSI units from submission of Security Deposit/ Contract Performance Bank Guarantee (CPBG).

## **6. TERMS OF PAYMENTS**

The Payment shall be made in the following manner subject to completion of all contractual requirements as per tender document.

**The following shall be read in conjunction with Clauses of GCC (Goods)**

- **100 % (Hundred percent) payment of the supplied portion along with freight including taxes & duties will be paid on receipt & acceptance of goods at FOT site after adjustment of PRS, if any along with submission of following documents: -**
  - i) Original Invoice in triplicate in compliance with GST law in force
  - ii) Inspection Release note by Owner or his appointed or approved agency/Or Despatch Clearance from Owner.
  - iii) Original GR / LR
  - iv) Packing List
  - v) Performance Bank Guarantee(s) of 10% of Contract Value. If already submitted, a copy of the same.
  - vi) Document related to Input Tax Credit (ITC) to be claimed by owner, if applicable.
  - vii) Documents related to warranty of the equipment needs to be submitted.
  - viii) A certificate from manufacturer that all the items/ equipment's under supply including its component or raw material used with manufacturing are new and conform to the tender requirement. In case manufacturer is not the contractor, the contractor owning overall responsibility will duly endorse this certificate.
  
- **For FINAL BILL, following documents are to be provided:**
  - v) **No Claim & No due Certificate**
  - vi) Statement of Completion
  - vii) Extended BG period, in case supply is delayed beyond contractual time period

**Note: Documents related to point no. v & vi shall be submitted in company letter head duly signed and stamped.**

### ii. MODE OF PAYMENT

- a. All payments payable in Indian rupees against the contract shall be released by Owner through account payee chequ payable atpar or by Electronic transfer.
  - b. No advance payment is permissible.
  - c. Cost of any damage/ loss of property of BGL, by the contractor shall be recovered from the bill of the contractor and the decision of BGL's EIC in this regard shall be final, binding and conclusive
- iii. **DEDUCTION AT SOURCE**
- Purchaser will release the payment to the Seller after effecting deductions as per applicable law in force.
- Purchaser will release payments by F&A Dept, BGL to the Contractor after offsetting all dues to the Purchaser payable by the Contractor under the Contract.

## **7. WARRANTY**

The supplier shall warrant that everything to be furnished hereunder shall be free from all defects and faults in material, workmanship and manufacture and shall be of the highest grade and consistent with the established and generally accepted standards of the materials of the type offered and in full conformity with the specifications drawings or samples, if any, and shall if operable, operate, properly. This warranty shall survive inspection of payment for and acceptance of the goods but shall expire 12 months from the date of commissioning / operations or 24 months from the date of despatch, whichever is earlier.

## **8. Safety & Security:**

Contractor and their personnel shall observe Fire & Safety and Security rules of the BGL during execution of the work at the site.



**Procurement of Fire Extinguishers for CGD & CNG Networks at  
Hyderabad, Vijayawada and Kakinada Locations.**

VOLUME  
I OF II

**Bid Document No. BGL/498/2020-21**

*[On the Letter-head of Contractor]*

**NO CLAIM CERTIFICATE**

WE, ....., a company incorporated under the laws of india, having its registered office at..... and carrying on business under the name and style M/s.....were awarded the contract by Bhagyanagar Gas Limited in reference to..... dated.....

After completion of the above said Work under the contract, we have scrutinized all our claims, contracts, contentions, disputes, issues with the project officials and we hereby confirm that after adjusting all payments received by us against or R.A. Bills, our balance entitlement under the contract is to a sum of Rs.....(Rupes.....Only) as per our Final Bill dated..... towards full and final settlement of all our claims, dues, issues and contentions from Bhagyanagar Gas Limited.

We confirm and declare that with the receipt of aforesaid monies, all our claims, dues, disputes, differences between M/s.....and Bhagyanagar Gas Limited under and with reference to above said contract stands fully and finally settled.

We further absolve Bhagyanagar Gas Limited from all liabilities present or future arising directly or indirectly out of the contract.

We further confirm that the present settlement has been arrived at after mutual negotiations and is freely and fairly entered into between the parties. There is no economic duress or any other compulsion on us in entering into this settlement.

**Signature with Seal of Contractor**

**SECTION - 10**

**SCHEDULE OF RATES (SOR)**

Sl. No	Description	City	Quantity (a)	Unit Price Ex works including cost of raw material/ components, TPI Charges, packaging, forwarding, (Rs.) (b)	Per unit freight charges, transit insurance including loading at vendor's works and unloading at BGL's site but excluding GST, any other taxes & duties upto <b>FOR Project site (c)</b>	Per unit GST (Rs.) ___% on (b) & (c) → (d)	Per unit FOT Site (Rs.) (e)= (b) + (c)+ (d)	Total FOT project site inclusive of all taxes and duties (Rs.) (f)= (a) x (e)
<b>Supply and installation of Fire Extinguishers at the locations / outlets in and around the city (mentioned in the scope)</b>								
1.1	Supply and Installation of KANEX ABC Type Fire Extinguisher Cap. 2Kg Filled with Mono Ammonium Phosphate Powder 50% confirms to IS 4308, Stored Pressure Type (MODEL: KFARQ-2-50%) with wall bracket	Hyderabad	14					
		Vijayawada	2					
		Kakinada	2					
1.2	<b>Supply and Installation of KANEX ABC Type Fire Extinguisher Cap. 9Kg Filled with Mono Ammonium Phosphate Powder 50% confirms to IS 4308, Stored Pressure Type (MODEL :KFARQ-9-50%). Vendor to replace the following existing Fire Extinguishers</b> stored in various locations: DCP (Stored type) at HYD-34, VJY-26, KKD-6 and DCP (Cartridge type) at HYD-8, VJY-51, KKD-5.	Hyderabad	48					
		Vijayawada	36					
		Kakinada	16					
1.3	<b>Supply and Installation of KANEX CO2 High Pressure Portable Fire Extinguisher Cap. 4.5Kg Filled with CO2 Gas as per IS15222 (MODEL: KFCRQ-4.5). Vendor to replace the following existing Fire Extinguishers</b> stored in various locations: CO2 4.5 KGs at HYD-9,VJY-6,KKD-1; CO2 6.5 KGs at HYD-8, VJY-6, KKD-2 and CO2 9KG at HYD -1.	Hyderabad	20					
		Vijayawada	10					
		Kakinada	8					
1.4	<b>Supply and Installation of KANEX DCP Trolley mounted Fire Extinguisher Cap. 75Kg Filled with</b>	Hyderabad	0					





**Procurement of Fire Extinguishers for CGD & CNG Networks at  
Hyderabad, Vijayawada and Kakinada Locations.**

VOLUME  
I OF II

**Bid Document No. BGL/498/2020-21**

	<b>Sodium Bi Carbonate</b> based (SBC) Powder confirms to IS4308 Applicable Fire classes B&C (MODEL: KFDRQ-75-S). <b>Vendor to replace the following existing fire extinguishers</b> stored in various locations: DCP 75KGs at VJY-3.	Vijayawada	1				
		Kakinada	1				
1.5	<b>Supply of MS Iron Floor Stand for Fire Extinguishers</b> suitable for ABC 9 Kg (Model: KDARQ -9- 50 %) and CO2 4.5KG (Model: KFCRQ – 4.5)	Hyderabad	68				
		Vijayawada	46				
		Kakinada	24				
1.6	<b>Supply and Installation of Four Fire Bucket 9 Ltrs capacity</b> with stand (with canopy type)	Hyderabad	15				
		Vijayawada	10				
		Kakinada	3				
<b>Total amount of all Supply items (inclusive of all taxes &amp; duties (GST))</b>							
<b>Amount in Words:</b>							

**Note:**

- Bidder to replace the existing Fire Extinguishers as per the quantities stored in various locations -Hyderabad (HYD), Vijayawada (VJY), Kakinada (KKD) as mentioned in the SOR. Accordingly, the bidder to consider rate for supply of fire extinguishers inclusive of replacement charges.**
- The transportation and Installation of Fire Extinguishers at the location mentioned is in bidder scope.
- The Model numbers of the Fire Extinguishers are mentioned above and the manufacturing standards of the fire extinguishers that need to be supplied is mentioned in the scope.
- The location of the Fire Extinguishers that need to be delivered is mentioned in the Scope of Supply.
- The loading and unloading of fire extinguishers (including old Fire Extinguishers to be replaced) at each BGL locations are to be mentioned in the bidder scope.