

Ref. Tender No. BGL/571/2023-24, dated 30.05.2023

Sub: Tender for Procurement of SS Ferrule Fittings, SS-Ball Valves, SS-Tubing for Operations & Maintenance of CNG Stations in Hyderabad, Vijayawada & Kakinada.

REPLIES TO PRE-BID QUERIES/ADDENDUM-01

Sl.no.	Vol & Section	Page no	Clause /Description	Bidder Queries	BGL Remarks / Clarifications
Technical Queries					
1	Vol II of II, Section-7, Material Requisition	11 of 48	S. No. 61 in Group-A, Stainless Steel High Pressure Proportional Relief Valve, 1/4 in. Tube Fitting	Bidder raised query that is there any Factory Set Pressure required for this Relief Valve or the Pressure Range required for the Spring to be provided with Relief Valve .	Set pressure is 275 bar and the bidder has to furnish the test certificate for the same.
2	Vol II of II, Section-7, Material Requisition / Section 9--Schedule of Rates	14 of 48	In Group-C, S. No. 4, 3/8 in. SS Tubes, 0.120 in. WT	Bidder queried that In Group-C, S. No. 4, 3/8 in. SS Tubes, 0.120 is. WT and requested to confirm on the Wall Thickness as it seems to be non-standard.	Material Requisition : Group-C, (SS Tube) & SOR sl. No: slno. 4:- .Wall thickness - 0.120", Material - SS316L Tolerance - (± 0.005 "), Finish - Bright Annealed Seamless, Hardness \leq Rb80 <u>TO BE READ AS</u> Wall thickness - 0.065", Material - SS316L Tolerance - (± 0.005"), Finish - Bright Annealed Seamless, Hardness \leq Rb80

Sl.no.	Vol & Section	Page no	Clause /Description	Bidder Queries	BGL Remarks / Clarifications
3	Vol II of II, Section-7, Material Requisition / Section 9--Schedule of Rates	14 of 48	In Group-C, S. No. 5, 1/4 in. SS Tubes, 0.120 in. WT	Bidder queried that In Group-C, S. No. 5, 1/4 in. SS Tubes, 0.120 is. WT and requested to confirm on the Wall Thickness as it seems to be non-standard.	Material Requisition : Group-C, (SS Tube) & SOR sl. No : sl no. 5:- Wall thickness - 0.120", Material - SS316L Tolerance - (± 0.005 "), Finish - Bright Annealed Seamless, Hardness \leq Rb80 <u>TO BE READ AS</u> Wall thickness - 0.035", Material - SS316L Tolerance - (± 0.005"), Finish - Bright Annealed Seamless, Hardness \leq Rb80
4	Vol I of II, Section-1, Bidder Eligibility Criteria	13 of 125	Tender Clause: 1.0 TECHNICAL- 1.1 & 1.2	The bidder shall either be a regular manufacturer / authorized supplier of SS-ferrule fittings meant for High Pressure CNG (Compressed Natural Gas) services / applications having minimum operating pressure of 255 bar. Bidder's Response: We SR Greentech authorized Distributor of BMT Superlok, Korea who is one of the reputed manufacturers of CNG service SS Fittings & Valves. We have made supplied of BMT Superlok SS Fittings & Valves to Confidence Enterprises Pvt Ltd (CEPL) for Type-1 CNG Cascades for MNGL CGD project. Also we made supplied to Kuldeep Kumar Contractor for Avantika Gas CGD project. We can submit PO copies/Completion certificate issued by OEM/Contractor along with proof of dispatch and payment. Kindly confirm if same will be considered for qualification for this project.	In case the Bidder is an Authorized distributor/ Supplier, he shall submit a valid authorization letter from manufacturer to quote for their product along with declaration mentioning that entire responsibility of quality, warranty, guarantee lies with the manufacturer. Also, bidder has to submit the performance certificate of material issued by the End user clearly establishing co-relation with the purchase order.

Sl.no.	Vol & Section	Page no	Clause /Description	Bidder Queries	BGL Remarks / Clarifications
5	Vol I of II, Section-1, Bidder Eligibility Criteria	13 of 125	Tender Clause: 2.4	<p>2.0 Financial- BEC Criteria: Notes to Financial BEC Criteria ii) Quoting for Group A & Group B, or Group A & Group C or Group B & Group C – Financial BEC Not applicable.</p> <p>Bidder's Response: As per tender clause if we quote for Group A & Group B only. Then the Financial Criterial is not applicable. Kindly confirm.</p>	Bidder is requested to refer BEC - Financial Criteria. Notes: Clause No: (ii)